
CHRYSLER

LIMOUSINE



Chrysler Limousine

THE CHRYSLER LIMOUSINE is the ultimate in contemporary high-tech comfort. It also establishes benchmarks for limousine affordability and value. Based on a full 131.3-inch wheelbase, Chrysler Limousine has plush accommodations for seven passengers. Its advanced front-wheel drive design maximizes interior room while providing outstanding maneuverability, improved ride and great stability. Smooth, responsive power is on demand in the form of the proven standard 146-horsepower turbocharged 2.2-liter engine with electronic fuel injection. Chrysler Limousine lets you shut out a strident world with a body built for quiet through robotic welding and special sound insulation. A rare feature for any limousine is the 5/50 Protection Plan that backs Chrysler's Limousine. (See back cover for details.) Chrysler Limousine is packed with luxury details that include fast-action air conditioning, front seat AM stereo*/FM stereo radio, and the rear seat Ultimate Sound System. Experience futuristic automotive luxury for yourself in a Chrysler Limousine soon. The competition is good, we had to be better.

*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.



About this catalog. We have tried to make this catalog as complete as possible. And we hope you will find it useful. However, since the time of printing, some of the information you'll find here may have been updated. Your dealer has details, and you should ask him for current information before ordering.

Some of the equipment shown or described throughout this catalog is available at extra cost.



Chrysler Limousine, shown in Black.



Chrysler Limousine, shown in Black.

POWER TRAIN CHART¹

Engine	Displacement	Bore & Stroke	Compression Ratio	Horsepower	Torque	Transaxle Availability
				SAE Net @ RPM	@ 3,600 rpm	
4-cylinder OHC: standard	2.2-liter (135 CID) turbocharged electronic fuel injection ²	3.44" x 3.62"	8.1:1	146 hp @ 5,200 rpm	170 lb-ft @ 3,600 rpm	3-speed automatic (3.02 OTGR): standard

OTGR—Overall top gear ratio. ¹California emissions controls required on all vehicles registered in California; not available otherwise. ²Turbocharged engine includes bright exhaust tip, dress-up, functional hood louvers, multipoint electronic fuel injection, stainless steel exhaust system and Turbo identification. Premium unleaded fuel recommended for use with 2.2-liter turbo engine. Turbocharged engine not recommended for trailer towing, and such use will invalidate warranty.

STANDARD & OPTIONAL EQUIPMENT

Acoustic Package S	Air Conditioning— Bi-level: front and rear outlets S	Alternator—90-ampere . . . S	Ash Receivers—One front, two rear S	Assist Straps—Rear interior door header, quarter window: color-keyed S	Battery—500-ampere; maintenance-free S	Brakes—Dual diagonal vented disc front; self-adjusting drum rear: power-assisted . . . S	Bumpers—Energy- absorbing: color-keyed soft fascia, with bright bumper protective rub strips and color-keyed bumper guards front and rear S	Carpeting—Passenger compartment: color- keyed S	Carpeting—Trunk floor . . . S	Chimes—Warning: head- lights on, key in ignition, seat belt warning S	Cigar Lighters—One front, two rear S	Clocks—Front and rear: electronic digital, integral with radios: . . . S	Console—Front center armrest S	Console—Rear: compartment S	Corrosion Protection— Urethane protective coating on lower body panels; extensive use of galvanized steel S	Deck Lid Release— Control in glove box: power S	Defroster—Rear window: electric S	Divider—Center sliding glass: power S	Door Locks—Front and rear controls: power . . . S	Electronic Ignition, Voltage Regulator and Fuel Injection S	Emissions Controls and Testing—California (re- quired on all vehicles registered in California; not available otherwise). E	Engine—See Power Train Chart	Exhaust System— Stainless steel S
------------------------------	--	------------------------------	--	---	---	---	---	---	-------------------------------	--	---	--	---	--	---	---	--	--	--	---	---	---------------------------------	--

Floor Mats—Accessory, front and rear: carpeted and color-keyed S	Front-Wheel Drive S	Fuel Tank—14-gallon . . . S	Glass—All exterior windows: tinted S	Glove Box Lock S	Head Restraints—Two-way adjustable front; four- way adjustable rear . . . S	Headlights—Halogen high/low beam: quad . . S	Heater and Defroster— Bi-level ventilation S	Hood—Counterbalanced . . S	Hood Ornament— Pentastar: crystalline . . . S	Hood Release—Inside . . . S	Horns—Dual-note: electric S	Illuminated Entry Sys- tem—Includes lighted door lock cylinders S	Instrument Panel Cluster —Electronic: includes engine coolant temper- ature, fuel level, oil pressure and volt gauges with gauge alert; integral trip computer, odometer and speedometer S	Lamps—Opera, in landau roof top band: electroluminescent S	Light Bar—Convenience: includes lights for low fuel warning, low washer fluid and trunk ajar S	Lights—Ash receiver; adjustable C-pillar mounted courtesy/ reading; backup; dome/reading; front door courtesy light; glove box; interior dome light switches; headlight switch symbol with time delay; ignition switch light with time delay; parking brake warning; rear door courtesy; rear door lock cylinders; rear Glamour Light Module with two center courtesy/reading lights and fade feature; trunk; underhood S	Lock Cover—Deck lid: Pentastar S	Mirror—Interior, rear- view: day/night S	Mirror—Interior, front passenger visor vanity: illuminated S	Mirrors—Exterior, dual power-adjustable; bright aero style S
--	-------------------------------	-----------------------------	---	----------------------------	---	---	---	----------------------------	--	-----------------------------	--	---	--	--	--	---	---	---	--	--

Moldings—Belt; door frame; drip rail; lower deck lid; sill: vinyl landau roof surround; wheel opening (full); windshield: bright S	Multifunction Steering Column Lever— Controls for auto- matic speed control; daytime pass/flash feature; deluxe wind- shield wiper/washer with adjustable inter- mittent delay; headlight dimmer; turn signals with lane-change feature S	Nameplate—Bright "Chrysler" on deck lid left side; gold "Chrysler" script on quarter windows . . . S	Radio—Front: AM stereo ¹ /FM stereo with electronic tuning and four speakers; integral digital clock . . . S	Radio—Rear: AM stereo ¹ / FM stereo, 36-watt Ultimate Sound System with electronic tuning and four speakers; memory scan; up-and- down scan; Dynamic Noise Reduction (DNR) ² ; cassette player with automatic reverse and metal tape capabil- ity; five-band graphic equalizer, joystick balance/fader control; ambience sound control; power antenna; integral digital clock S	Roof—Landau: color- keyed padded vinyl S	Seat—Front left bucket: power S	Seats—Front low-back bucket with four-way adjustable head re- straints; rear pillowed with center armrest and four-way adjustable headrests; rear-facing jump seats: dark blue Corinthian leather E	Seats—Front low-back bucket with four-way adjustable head re- straints; rear pillowed with center armrest and four-way adjustable headrests; rear-facing jump seats: luxury cloth S	Speed Control— Automatic S
---	--	--	---	---	---	--	---	---	---

Storage Pocket—Rear of front passenger seat . . . S	Steering—Rack-and- pinion: power-assisted . . S	Steering Column—Tilt . . . S	Steering Wheel—Luxury: leather-wrapped S	Stripes—Accent tape: bodyside and hood S	Suspension—Front: dual- path Iso-Struts with coil springs, linkless anti- sway bar; rear: beam axle with trailing arms, coil springs and pre- mium shock absorbers . . S	Tailights—With bright accents S	Telephone Installation Provision—Mounting bracket: behind rear seat fold-down armrest S	Tire—Spare: T125/70D14 compact high pressure, limited service S	Tires—P185/75R14 steel- belted radial white sidewall (set of four) . . . S	Transaxle—See Power Train Chart	Trunk Dress-up—Includes carpeted covers for jack, quarter panels, spare tire, wheel- housings S	Wheel Covers—Deluxe: color-keyed (set of four) S	Windows—Front and rear: independent power S	Windshield Wipers/ Washers—Deluxe: with variable intermittent wipe feature S
--	--	------------------------------	---	---	--	--	---	---	--	------------------------------------	---	--	---	---

S—Standard. E—Extra cost.

¹Limited AM stereo reception may be experienced in some areas because some AM stereo broad-
casting is not compatible with
this radio's reception capabilities.

²DNR (Dynamic Noise Reduction)
is a trademark of National Semi-
conductor Corporation.

Certain models, packages, and op-
tions are subject to specific restric-
tions, requirements, or late avail-
ability. See your dealer for the latest
ordering information.

STANDARD SAFETY FEATURES

• Anti-theft trunk lock • Backup
lights • Center high-mounted
supplemental stoplight • Combi-
nation lap/shoulder belts for the
driver and right front passenger;
lap belts for all forward-facing
passengers • Double ball-joint
rearview mirror • Dual braking

DIMENSIONS, WEIGHT AND CAPACITY

Length	210.7"	Curb Weight (estimated)	3,206 lbs
Width	68.0"	Passenger Capacity	7
Height	53.6"	Trunk Capacity	15.0 cu ft
Wheelbase	131.3"	Fuel Capacity	14.0 gal
Turning Diameter (curb to curb)	43.2'		

system with separate brake fluid
reservoirs in the master cylinder
• Dual throttle return springs
• Energy-absorbing front seat-
backs • Energy-absorbing instru-
ment panel and sun visors
• Energy-absorbing steering col-
umn and steering wheel • Fade-
resistant vented front disc brakes
• Front seat head restraints • Glare
reduction measures for instru-
ment panel, steering wheel and
wipers • Hazard warning flasher
system • Headlight and wiper
circuit breakers with automatic
reset • Ignition and steering col-
umn lock • Impact-actuated fuel
supply shutdown relay • Inside
and outside rearview mirrors
• Key left in ignition warning
• Nonoverride door locks (except
driver's door) • Recessed inside
door release handles • Reinforced
windshield header and roof
• Safety glass • Safety-Rim wheels
• Seat belt reminder system • Side
door beams • Side marker lights
and reflectors • Turn signals with
lane-change feature

1986 LIMOUSINE EXTERIOR COLORS

Gunmetal Blue Pearl Coat

Black

Radiant Silver

White

Nightwatch Blue

NOTE: Due to occasional printing
irregularities, the colors shown may
vary slightly from actual hues. See your
Chrysler dealer for accurate color chips.

Clear Coat finish is standard on every
1986 passenger car built by Chrysler
Corporation.

5/50 PROTECTION PLAN

Warranty protection is a matter of
confidence. And Chrysler Corpo-
ration is so sure of the care and
precision that go into each
Chrysler Limousine that they offer
the Five-Year/50,000-Mile Protec-
tion Plan. It speaks for itself. Upon
expiration of the normal 12-
month/12,000-mile new vehicle
limited warranty, limited warranty



coverage is extended on power
train components, including en-
gine, transaxle, axle and turbo-
charger—plus outer panel rust-
through protection—to five
years/50,000 miles, whichever
comes first. A deductible may be
required. Fleet, lease and export
vehicles excluded. See your dealer
for details.

OPTIONAL 5/50 SERVICE CONTRACT COVERAGE

Chrysler Service Contracts pro-
vide you with additional peace of
mind protection for your new
vehicle. Coverage starts on the
specified components after your
vehicle's basic warranty expires
and continues for five years or
50,000 miles (whichever occurs
first) from the original warranty
start date. A deductible applies.

Allowances for car rental and
towing are also included. Ask your
dealer for details. Buckle up for
safety.

CONSIDER LEASING

In these days of tight money and
high interest rates, more consum-
ers are considering leasing as an
alternative to buying. Leasing a
new Chrysler Limousine usually
involves a small security deposit
and a first month's lease payment.
Monthly payments are usually less
than financing a new car pur-
chase. Ask your dealer for details.

All product illustrations and specifica-
tions are based on authorized infor-
mation. Although descriptions are be-
lieved correct at publication approval,
accuracy cannot be guaranteed.
Chrysler Corporation reserves the
right to make changes from time to
time, without notice or obligation,
in prices, specifications, colors and ma-
terials, and to change or discontinue
models. See your dealer for the latest
information.



MOPAR parts are engineered by
Chrysler Corporation for use in your
new Chrysler Limousine. When re-
placement is necessary, be sure to
specify MOPAR parts. Used by profes-
sional mechanics all over the world.

