

YUKON MODELS

2023 FEATURES, SPECS AND OPTIONS

We have tried to make this guide comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this guide and other printed materials provided at the dealership or affixed to vehicles are approximations based on design and engineering drawings, prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of publication, please check with your GMC dealer for complete details.



YOUR YUKON AWAITS

KEY FEATURES

See your GMC dealer or gmc.com for more feature details and requirements.

SLE

EXTERIOR

LED Signature Lighting (Headlamps/Taillamps)

LED Fog Lamps

Heated, Power-Folding Adjustable Mirrors

Rainsense Windshield Wipers

Hands-Free Programmable Power Liftgate With GMC Logo Projection

Assist Steps, Black With Gloss-Black Inserts

Power-Retractable Assist Steps With Perimeter Lighting

18" 6-Spoke Machined Aluminum Wheels With Dark Gray Metallic Accents

20" Polished Aluminum Wheels

20" 6-Spoke Polished Aluminum Wheels

22" 6-Spoke Carbon Flash Metallic Aluminum Wheels With Selective Machining

22" Polished Aluminum Wheels

20" 6-Spoke Machined Aluminum Wheels With Carbon Gray Metallic Accents

20" 6-Spoke Multidimensional Polished Aluminum Wheels

22" Bright Machined Aluminum Wheels With Premium Paint

22" 7-Spoke Ultra-Bright Machined Wheels With Bright Chrome Accents and Dark Paint

20" All-Terrain Tires

SLE

SLT

AT4

DENALI

DENALI
ULTIMATE

SLT

AT4

DENALI

DENALI ULTIMATE

● Standard ○ Available — Not Available

YOUR YUKON AWAITS

KEY FEATURES

See your GMC dealer or gmc.com for more feature details and requirements.

SLE

SLT

AT4

DENALI

INTERIOR

Cloth Seating	●	—	—	—	—
First- and Second-Row Perforated Leather-Appointed Seats	—	●	—	—	—
First- and Second-Row Perforated Leather Seating Surfaces	—	—	●	●	—
First-, Second- and Third-Row Perforated Full-Grain Leather Seating	—	—	—	—	●
Front 40/20/40 Split Bench Seat	○	—	—	—	—
Massaging Driver and Front-Passenger Seats	—	—	—	—	●
Heated Second-Row Outboard Seats	—	○	●	●	●
Second-Row 60/40 Split Power-Release Bench Seat	—	○	●	○	—
Heated and Ventilated Driver and Front-Passenger Seats	—	○ ¹	○ ¹	●	●
Second-Row Power-Release Bucket Seats	—	○	○	●	●
Third-Row 60/40 Split Power-Folding Bench Seat	—	○	●	●	●
Automatic Heated Steering Wheel	—	○	●	●	●
Power-Tilt and -Telescoping Steering Column	—	○	●	●	●
Power-Sliding Center Console	—	○	○	●	●

SLE

SLT

AT4

DENALI

DENALI
ULTIMATE

● Standard ○ Available — Not Available

CONTINUED

YOUR YUKON AWAITS

KEY FEATURES

See your GMC dealer or gmc.com for more feature details and requirements.

INTERIOR CONTINUED

Tri-Zone Automatic Climate Controls

Bose® 9-Speaker Audio System

Bose 14-Speaker Centerpoint® Surround Sound

Bose 18-Speaker Performance Series Sound System

Panoramic Power Sunroof

SLE

SLT

AT4

DENALI

DENALI
ULTIMATE

● Standard ○ Available — Not Available

YOUR YUKON AWAITS

KEY FEATURES

See your GMC dealer or gmc.com for more feature details and requirements.

CAPABILITY

SLE

SLT

AT4

DENALI

DENALI ULTIMATE

SLE

SLT

AT4

DENALI

DENALI
ULTIMATE

5.3L V8 Engine

●

●

●

—

—

3.0L Duramax Turbo Diesel Engine

○

○

—

○

○

6.2L V8 Engine

—

—

○

●

●

10-Speed Automatic Transmission

●

●

●

●

●

Dual Exhaust System With Dual Twin-Polished Stainless-Steel Tips
(6.2L Engine Only)

—

—

○

●

●

StabiliTrak Electronic Stability Control

●

●

●

●

●

Magnetic Ride Control

—

—

●

●

●

Air Ride Adaptive Suspension

—

—

○

○

●

Active Response 4WD™ System With Electronic Limited-Slip Differential

—

—

○

○

●

3.23 Axle Ratio

●

●

●

●

●

AutoTrac Single-Speed Transfer Case (4WD)

●

●

—

—

—

AutoTrac 2-Speed Transfer Case (4WD)

○

○

●

●

●

Max Trailering Package

○

○

○

○

●

High-Capacity Air Filter

—

—

●

—

—

Hill Descent Control (4WD)

—

—

●

●

●

● Standard ○ Available — Not Available

YOUR YUKON AWAITS

KEY FEATURES

See your GMC dealer or gmc.com for more feature details and requirements.

SAFETY AND TECHNOLOGY

SLE

SLT

AT4

DENALI

DENALI ULTIMATE

SLE	SLT	AT4	DENALI	DENALI ULTIMATE
●	●	●	●	●
●	●	●	●	●
—	—	○	●	●
—	●	●	●	●
●	●	●	●	●
●	●	●	●	●
●	●	●	●	●
●	●	●	●	●
●	●	●	●	●
●	●	●	●	●

● Standard ○ Available — Not Available

CONTINUED

¹Functionality varies by model. Full functionality requires compatible Bluetooth® and smartphone, and USB connectivity for some devices. ²The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adapter/back cover. To check for phone or other device compatibility, see my.gmc.com/learn or consult your carrier. ³Vehicle user interface is a product of Apple® and its terms and privacy statements apply. Requires compatible iPhone® and data plan rates apply. Apple CarPlay, Siri, iPhone and Apple Music are trademarks of Apple, Inc., registered in the U.S. and other countries. ⁴To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Android and Android Auto are trademarks of Google LLC. ⁵Google built-in services are subject to limitations, and availability may vary by vehicle, infotainment system and location. Select service plan required. Certain Google actions and functionality may require account linking. User terms and privacy statements apply. Google, Google Play and Google Maps are trademarks of Google LLC. ⁶Service varies with conditions and location. Requires active service plan and paid AT&T® data plan. See onstar.com for details and limitations. ⁷Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information.

YOUR YUKON AWAITS

KEY FEATURES

See your GMC dealer or gmc.com for more feature details and requirements.

SAFETY AND TECHNOLOGY CONTINUED

SLE

SLT

AT4

DENALI

SLE

SLT

AT4

DENALI

DENALI
ULTIMATE

Following Distance Indicator¹

Front and Rear Park Assist¹

IntelliBeam—Auto High Beams

Lane Keep Assist With Lane Departure Warning¹

High Definition Rear Vision Camera¹

Automatic Emergency Braking¹
(Standard on Denali Models Produced Before 10/3/22)

High Definition Surround Vision¹

Lane Change Alert With Side Blind Zone Alert¹

Rear Cross Traffic Alert¹

Rear Pedestrian Alert¹

Enhanced Automatic Emergency Braking¹
(Standard on Denali Models Produced After 10/3/22)

Adaptive Cruise Control¹ (Standard on Denali Models Produced After 10/3/22)

Rear Camera Mirror¹

Vehicle Inclination Sensors

● Standard ○ Available — Not Available

CONTINUED

DENALI ULTIMATE

¹Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information.

YOUR YUKON AWAITS

SLE

SLT

AT4

DENALI

DENALI ULTIMATE

KEY FEATURES

See your GMC dealer or gmc.com for more feature details and requirements.

SAFETY AND TECHNOLOGY CONTINUED

Enhanced Automatic Parking Assist¹

Reverse Automatic Braking¹

Super Cruise³ Driver-Assistance Technology (standard on Denali Ultimate vehicles produced after 10/3/22, includes 3 year subscription)

SiriusXM[®] With 360L⁵

SLE

SLT

AT4

DENALI

DENALI
ULTIMATE

—

—

—

○²

●

—

—

—

○

●

—

—

—

○⁴

○⁴

○

○

○

○

○

● Standard ○ Available — Not Available

¹Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. ²Limited availability. ³Always pay attention while driving and when using Super Cruise. Do not use a handheld device. Requires active Super Cruise plan or trial. Terms apply. Visit gmc.com/connectivity-technology/super-cruise for compatible roads and full details. ⁴Super Cruise not available on vehicles produced prior to 10/3/22. ⁵Certain features require a SiriusXM subscription and the GMC Connected Access plan. See siriusxm.com and onstar.com for details and limitations.

YOUR YUKON AWAITS

SELECT PACKAGES

See your GMC dealer or gmc.com for more package details and requirements.

SLE

MAX TRAILERING PACKAGE ProGrade™ Trailering System includes Hitch View,¹ trailer brake controller, Smart Trailer Integration Indicator and in-vehicle Trailering App;² enhanced cooling radiator (gas engine only); and AutoTrac 2-speed transfer case (SLE and SLT 4WD models only) (Available on SLE, SLT, AT4 and Denali)

SLT LUXURY PACKAGE Adaptive Cruise Control;¹ Enhanced Automatic Emergency Braking;¹ High Definition Surround Vision;¹ Rear Pedestrian Alert;¹ memory settings for driver seat, outside mirrors and steering column; heated outside power-adjustable, power-folding, body-color mirrors with driver-side auto-dimming and integrated turn-signal indicators; power-tilt and -telescoping steering column; heated steering wheel; heated second-row outboard seats; second-row 60/40 split power-release bench seat; and third-row 60/40 split power-folding bench seat (Available on SLT)

SLT

SLT PREMIUM PACKAGE Panoramic power sunroof and SLT Luxury Package (Available on SLT)

TECHNOLOGY PACKAGE High Definition Surround Vision,¹ Head-Up Display and Rear Pedestrian Alert¹ (Available on AT4)

AT4 PREMIUM PACKAGE Technology Package, panoramic power sunroof and power-retractable assist steps with perimeter lighting (Available on AT4)

AT4 PREMIUM PLUS PACKAGE Max Trailering Package, Technology Package, Premium Capability Package with Active Response 4WD system, panoramic power sunroof and power-retractable assist steps with perimeter lighting (Available on AT4)

PREMIUM CAPABILITY PACKAGE WITH ACTIVE RESPONSE 4WD Active Response 4WD system with electronic limited-slip differential and Air Ride Adaptive Suspension (Available on AT4 and Denali 4WD)

AT4

ENHANCED TRAILERING TECHNOLOGY PACKAGE Trailer camera provisions, trailering assist guidelines and auxiliary trailer camera (Available on AT4, Denali and Denali Ultimate)

ADVANCED SECURITY PACKAGE Self-powered horn, interior movement sensors, vehicle inclination sensors, glass-break sensors in rear-quarter glass and liftgate window door and liftgate lock shields (Available on Denali)

ADVANCED TECHNOLOGY PACKAGE Super Cruise³ driver-assistance technology (3-year subscription standard on vehicles produced after 10/3/22), Enhanced Automatic Parking Assist,¹ Reverse Automatic Braking,¹ Rear Camera Mirror,¹ Rear Camera Mirror Washer and Advanced Security Package (Available on Denali)

DENALI RESERVE PACKAGE Advanced Technology Package, panoramic power sunroof, power-retractable assist steps with perimeter lighting, 22" bright machined aluminum wheels with premium paint, wheel locks and Max Trailering Package (Available on Denali)

DENALI

DENALI ULTIMATE

¹Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. ²App functionality and features vary with vehicle equipment and trim level and require available Max Trailering Package. Data connection may be required. Some features require active service plan and working electrical system. Terms and limitations apply. ³Always pay attention while driving and when using Super Cruise. Do not use a handheld device. Requires active Super Cruise plan or trial. Terms apply. Visit gmc.com/connectivity-technology/super-cruise for compatible roads and full details.

YUKON TOWING



KEY TRAILERING FEATURES

- AVAILABLE PROGRADE TRAILERING SYSTEM WITH IN-VEHICLE TRAILERING APP¹ AND INTEGRATED TRAILER BRAKE CONTROLLER
- AVAILABLE AIR RIDE ADAPTIVE SUSPENSION
- AVAILABLE SMART TRAILER INTEGRATION
- AVAILABLE ENHANCED TRAILERING TECHNOLOGY PACKAGE (LIMITED AVAILABILITY)

KEY SPECIFICATIONS

- MAXIMUM AVAILABLE TRAILERING: 8,400 LBS² (YUKON)
- MAXIMUM AVAILABLE TRAILERING: 8,300 LBS² (YUKON XL)
- MAXIMUM AVAILABLE HORSEPOWER: 420³
MAXIMUM AVAILABLE TORQUE: 460 LB-FT (GAS)³
- MAXIMUM AVAILABLE HORSEPOWER: 277⁴
MAXIMUM AVAILABLE TORQUE: 460 LB-FT (DIESEL)⁴
- MAXIMUM AVAILABLE PAYLOAD: 1,792 LBS⁵
- MAXIMUM CARGO VOLUME: 122.9 CU. FT.⁶ (YUKON)
- MAXIMUM CARGO VOLUME: 144.7 CU. FT.⁶ (YUKON XL)
- MAXIMUM SEATING CAPACITY: UP TO 9⁷

POWERTRAIN

- 5.3L V8 ENGINE PAIRED WITH A 10-SPEED AUTOMATIC TRANSMISSION
- AVAILABLE 6.2L V8 ENGINE PAIRED WITH A 10-SPEED AUTOMATIC TRANSMISSION
- AVAILABLE 3.0L DURAMAX TURBO DIESEL ENGINE PAIRED WITH A 10-SPEED AUTOMATIC TRANSMISSION

¹App functionality and features vary with vehicle equipment and trim level. Data connection may be required. Some features require active service plan and working electrical system. Terms and limitations apply. ²Requires 2WD model with 5.3L V8 engine and available Max Trailering Package. Maximum trailering ratings are intended for comparison purposes only. Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The trailering capacity of your specific vehicle may vary. The weight of passengers, cargo and options or accessories may reduce the amount you can trailer. ³Requires available 6.2L V8 engine. ⁴Requires available 3.0L Duramax Turbo Diesel engine. ⁵1,792-lb rating requires Yukon 2WD non-Denali model. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's doorjamb. ⁶Behind first row with rear seats folded flat. Cargo and load capacity limited by weight and distribution. ⁷SLE model only with available front bench seat.

POWERTRAIN SPECIFICATIONS

YUKON SPECIFICATIONS

ENGINE	MODEL	MAX GVWR (LBS) ¹	AXLE RATIO	MAX TRAILER WEIGHT RATING (LBS) ²	MAX PAYLOAD (LBS) ³
5.3L V8	Yukon 2WD	7,400	3.23	7,900	1,792
				8,400 ⁴	
	Yukon 4WD	7,500	3.23	7,700	1,702
				8,200 ⁴	
6.2L V8	Yukon 2WD	7,400	3.23	7,700	1,671
				8,200 ⁴	
	Yukon 4WD	7,500	3.23	7,500	1,616
				8,000 ⁴	
3.0L Turbo Diesel	Yukon 2WD	7,500	3.23	8,100	1,671
				8,100 ⁴	
	Yukon 4WD	7,700	3.23	7,800	1,581
				7,800 ⁴	

YUKON XL SPECIFICATIONS

ENGINE	MODEL	MAX GVWR (LBS) ¹	AXLE RATIO	MAX TRAILER WEIGHT RATING (LBS) ²	MAX PAYLOAD (LBS) ³
5.3L V8	Yukon XL 2WD	7,500	3.23	7,800	1,687
				8,300 ⁴	
	Yukon XL 4WD	7,700	3.23	7,500	1,698
				8,000 ⁴	
6.2L V8	Yukon XL 2WD	7,500	3.23	7,600	1,612
				8,100 ⁴	
	Yukon XL 4WD	7,700	3.23	7,300	1,612
				7,800 ⁴	
3.0L Turbo Diesel	Yukon XL 2WD	7,700	3.23	7,800	1,563
				7,800 ⁴	
	Yukon XL 4WD	7,700	3.23	7,700	1,475
				7,700 ⁴	

¹Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²Maximum trailering ratings are intended for comparison purposes only. Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner’s Manual. The trailering capacity of your specific vehicle may vary. The weight of passengers, cargo and options or accessories may reduce the amount you can trailer. ³These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner’s Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver’s doorjamb. ⁴Requires available Max Trailering Package.

POWERTRAIN SPECIFICATIONS

ENGINE SPECIFICATIONS													
ENGINE	BORE & STROKE (IN./MM)	BLOCK MATERIAL	CYLINDER HEAD MATERIAL	COMPRESSION RATIO	VALVETRAIN				FUEL DELIVERY		HORSEPOWER	TORQUE	
5.3L Gas V8	3.78 x 3.62 / 96 x 92	Cast aluminum	Cast aluminum	11.0:1	Overhead valve, two valves per cylinder, Variable Valve Timing				Direct Injection with Dynamic Fuel Management		355 @ 5600	383 @ 4100	
6.2L Gas V8	4.06 x 3.62 / 103.25 x 92	Cast aluminum	Cast aluminum	11.5:1	Overhead valve, two valves per cylinder, Variable Valve Timing				Direct Injection with Dynamic Fuel Management		420 @ 5600	460 @ 4100	
3.0L Duramax I6 Turbo Diesel	3.30 x 3.54 / 84 x 90	Cast aluminum	Cast aluminum	15.0:1	Dual overhead camshafts, four valves per cylinder				High-pressure, common-rail direct injection		277 @ 3750	460 @ 1500	
TRANSMISSION SPECIFICATIONS													
TRANSMISSION TYPE	GEAR RATIOS (:1)	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH	NINTH	TENTH	REVERSE	FINAL DRIVE RATIO
10L80 10-speed automatic	10L80	4.70	2.99	2.16	1.78	1.53	1.28	1.00	0.85	0.69	0.64	4.87	3.23

YUKON & YUKON XL DIMENSIONS

YUKON COMES WITH THREE ROWS OF SEATING AND IS AVAILABLE IN EITHER 2WD OR 4WD CONFIGURATIONS.

PASSENGER CAPACITY

Seating for up to 9¹

LEG ROOM

(FIRST/SECOND/THIRD ROW)

44.5"/42.0"/34.9"

MAX CARGO VOLUME

(BEHIND FIRST/SECOND/THIRD ROW)

122.9/72.6/25.5 cu. ft.²

FUEL TANK CAPACITY

Approx. 24.0 gallons

AXLE RATIO

3.23

MAX HEAD ROOM

(FIRST/SECOND/THIRD ROW)

42.3"/38.9"/38.2"

SHOULDER ROOM

(FIRST/SECOND/THIRD ROW)

66.0"/64.8"/62.7"

HIP ROOM

(FIRST/SECOND/THIRD ROW)

61.5"/61.3"/49.4"



76.5"

210.0"

YUKON XL COMES WITH THREE ROWS OF SEATING AND ADDITIONAL CARGO ROOM AND IS AVAILABLE IN EITHER 2WD OR 4WD CONFIGURATIONS.

PASSENGER CAPACITY

Seating for up to 9¹

LEG ROOM

(FIRST/SECOND/THIRD ROW)

44.5"/42.0"/36.7"

MAX CARGO VOLUME

(BEHIND FIRST/SECOND/THIRD ROW)

144.7/93.8/41.5 cu. ft.²

FUEL TANK CAPACITY

Approx. 28.0 gallons

AXLE RATIO

3.23

MAX HEAD ROOM

(FIRST/SECOND/THIRD ROW)

42.3"/38.9"/38.2"

SHOULDER ROOM

(FIRST/SECOND/THIRD ROW)

66.0"/64.8"/62.8"

HIP ROOM

(FIRST/SECOND/THIRD ROW)

61.5"/61.3"/49.4"



76.5"

225.2"

¹SLE model only with available front bench seat. ²With rear seats folded flat. Cargo and load capacity limited by weight and distribution.

TRAILERING HIGHLIGHTS

PROGRADE TRAILERING SYSTEM

GMC's available ProGrade Trailering System includes advanced technologies for increased views and confidence. It helps when hooking up your trailer, while on the road and when backing your trailer into place.

IN-VEHICLE TRAILERING APP

The available in-vehicle Trailering App¹ is integrated into Yukon's infotainment system² and includes a theft alert and the ability to create five defined trailer profiles based on trailer name and trailer type. There are also maintenance reminders, predeparture checklists, a Trailer Light Sequence Test, a Trailer Tire Pressure Monitoring System³ and a counter for trailer mileage and fuel economy.

myGMC MOBILE APP

The available myGMC Mobile App⁴ allows you to create, manage and sync trailer profiles (shareable with other compatible Yukon owners), run Trailer Light Sequence Tests to help ensure trailer lights are in working order, reference predeparture checklists and maintenance reminders and use a Trailer Load Calculator to determine the combined weight of your vehicle and trailer. You can view and receive alerts on key components of your trailer such as tire pressure monitoring³ and trailer miles. There's also a glossary filled with trailering-related materials.

SMART TRAILER INTEGRATION

The available ASA Electronics iN•Command[®] Control System⁵ is designed to integrate with and be accessible through the myGMC Mobile App⁴ (on compatible iPhones[®] and Android[™] smartphones) or on the infotainment system via Apple CarPlay^{®6} and Android Auto.⁷ The iN•Command Control System allows you to monitor and control a range of smart system functions such as water tank levels, climate controls and power slide-outs in recreational trailers equipped with GlobalConnect technology.

¹App functionality and features vary with vehicle equipment and trim level. Data connection may be required. Some features require active service plan and working electrical system. Terms and limitations apply. ²Functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. ³Requires available Trailer Tire Pressure Monitoring System and installation of trailer tire pressure monitor sensors. ⁴Available on select Apple[®] and Android devices. Service availability, features and functionality vary by vehicle, device and the plan you are enrolled in. Terms apply. Device data connection required. See onstar.com for details and limitations. ⁵iN•Command is provided by ASA Electronics and is designed to operate within 30 feet of the trailer. Works with trailers equipped with iN•Command Control System with GlobalConnect via Bluetooth connection. Control and monitoring functionality varies by trailer manufacturer model and installed options. Use of the iN•Command Control System feature through the myGMC Mobile App requires an active service plan. User terms apply. See onstar.com for details and limitations. ⁶Vehicle user interface is a product of Apple[®] and its terms and privacy statements apply. Requires compatible iPhone[®] and data plan rates apply. Apple CarPlay, Siri, iPhone and Apple Music are trademarks of Apple, Inc., registered in the U.S. and other countries. ⁷To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Android and Android Auto are trademarks of Google LLC.

myGMC MOBILE APP



NEW AND INNOVATIVE WAYS TO TAKE CONTROL

The available myGMC Mobile App¹ elevates your ownership experience in many ways. It's also a powerful and useful tool when it comes to trailering.


IN A PROPERLY EQUIPPED VEHICLE, YOU'LL HAVE THESE USEFUL FUNCTIONS AT YOUR FINGERTIPS:

- TRAILER LIGHT SEQUENCE TESTING
- LOAD CALCULATOR
- PREDEPARTURE CHECKLISTS
- PROFILE SHARING
- GLOSSARY OF TERMS
- TRAILER TIRE PRESSURE STATUS²
- MAINTENANCE REMINDERS
- MILEAGE AND FUEL ECONOMY COUNTER
- SMART TRAILER CONTROLS

¹Available on select Apple® and Android devices. Service availability, features and functionality vary by vehicle, device and the plan you are enrolled in. Terms apply. Device data connection required. See onstar.com for details and limitations.

²Requires available Trailer Tire Pressure Monitoring System and installation of trailer tire pressure monitor sensors.

SMART TRAILER INTEGRATION



2022 Sierra 1500 shown.

PUTTING YOU IN COMMAND LIKE NEVER BEFORE

The available Smart Trailer Control System effectively turns your smartphone into a remote control. Accessible through the myGMC Mobile App¹ (on compatible iOS and Android smartphones) or through the infotainment system (via Apple CarPlay^{®2} and Android Auto³), the Smart Trailer Control System allows you to control many of your compatibly equipped iN•Command Control System⁴ trailer functions through a Bluetooth⁵ connection. It's a seamless way to stay informed and in command.

TAKE CONTROL OF THE FOLLOWING FUNCTIONS AND SYSTEMS IN YOUR COMPATIBLE ATTACHED TRAILER:

- ADJUST CLIMATE CONTROLS
- TURN THE WATER PUMP ON/OFF
- TURN THE HEATER ON/OFF
- TURN INTERIOR LIGHTS ON/OFF
- TURN EXTERIOR LIGHTS ON/OFF
- CHECK REAL-TIME STATUS OF THE WATER TANK LEVEL
- CHECK REAL-TIME STATUS OF THE BATTERY LIFE
- CHECK FUEL LEVEL OF THE GENERATOR
- PRIME AND START THE GENERATOR
- OPEN AND CLOSE SLIDE-OUTS (VEHICLE AND TRAILER MUST BE PARKED)
- OPEN AND CLOSE AWNINGS (VEHICLE AND TRAILER MUST BE PARKED)
- ADJUST JACKS (VEHICLE AND TRAILER MUST BE PARKED)

¹Available on select Apple® and Android devices. Service availability, features and functionality vary by vehicle, device and the plan you are enrolled in. Terms apply. Device data connection required. See onstar.com for details and limitations.

²Vehicle user interface is a product of Apple® and its terms and privacy statements apply. Requires compatible iPhone® and data plan rates apply. Apple CarPlay, Siri, iPhone and Apple Music are trademarks of Apple, Inc., registered in the U.S. and other countries. ³To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Android and Android Auto are trademarks of Google LLC. ⁴iN•Command is provided by ASA Electronics and is designed to operate within 30 feet of the trailer. Works with trailers equipped with iN•Command Control System with GlobalConnect via Bluetooth connection.

Control and monitoring functionality varies by trailer manufacturer model and installed options. Use of the iN•Command Control System feature through the myGMC Mobile App requires an active service plan. User terms apply. See onstar.com for details and limitations. ⁵Go to my.gmc.com/learnabout/bluetooth to find out which phones are compatible with the vehicle. Full Bluetooth feature functionality varies by device, model and software version.

YUKON CAMERA SYSTEM

UP TO

13

AVAILABLE
**CAMERA
VIEWS¹**

1. SURROUND VIEW
2. REAR CAMERA MIRROR
3. FRONT CAMERA VIEW
4. REAR CAMERA VIEW
5. FRONT TOP-DOWN VIEW
6. REAR TOP-DOWN VIEW
7. FRONT SIDE VIEW
8. REAR SIDE VIEW
9. HITCH VIEW
10. TRANSPARENT TRAILER VIEW²
(REQUIRES COMPATIBLE
CONVENTIONAL TRAILER)
11. INSIDE TRAILER VIEW²
12. REAR TRAILER VIEW² (WITH
GUIDELINES AND TRAILER ANGLE
INDICATOR) (REQUIRES COMPATIBLE
CONVENTIONAL TRAILER)
13. PICTURE-IN-PICTURE VIEW²



¹Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. Some camera views require available accessory camera and installation. Not compatible with all trailers. See your dealer for details. ²Requires available accessory camera and installation.

YUKON CAMERA-VIEW COMPATIBILITY

CAMERA-VIEW COMPATIBILITY

ALL TRAILERS MAY NOT BE COMPATIBLE. THIS CHART IS FOR REFERENCE ONLY.

CAMERA VIEW	TRAILER TYPE	DIMENSIONS REQUIRED
Rear Trailer View With Trailer Angle Indicator ¹	Box/Enclosed ²	Yes
Rear Trailer View ¹	Most	N/A
Rear Side View	Most	N/A
Rear Side View With Trailer Biasing	Box/Enclosed ²	Yes
Rear Side View With Trailer Length Indicator (Turn-Signal-Activated)	Box/Enclosed ²	Yes
Transparent Trailer View ³	Box/Enclosed ²	Yes
Jack-Knife Alert	Box/Enclosed ²	Yes
Picture-in-Picture Side View ¹	Most	N/A
Inside Trailer View ¹	Most	N/A
Hitch View	Most	N/A

Safety or driver-assistance features are no substitute for the driver’s responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings and road conditions at all times. Visibility, weather and road conditions may affect feature performance. Read the vehicle Owner’s Manual for more important feature limitations and information.

¹Requires available accessory camera and installation. Not compatible with all trailers. See your dealer for details.

²Box/enclosed trailer is a type of trailer that has walls and a roof to completely enclose cargo and keep it protected from the elements.

³This camera view has a trailer-length limitation of 32 feet.

CALIBRATION TIPS FOR TRANSPARENT TRAILER VIEW

FOLLOW THESE CALIBRATION TIPS FOR SUCCESSFUL SETUP:

Drive below 31 mph	Driving faster may delay calibration.
Drive straight	Excessive steering may extend calibration time.
Use good light	Calibration should be attempted when there is enough light.
Set up in good weather	Calibration during snow or heavy rain should be avoided.
Use a flat, defined road	Avoid gravel, dirt or unmarked roads.
Use the proper connection	Ensure that the camera is connected to the correct input.
Use the correct location	The accessory camera should be mounted and angled inside the defined mounting location (see camera installation instructions).
Check for a clean lens	Cameras obstructed by dirt or debris may hinder calibration.
Check for a clear view	The accessory trailer camera should have an unobstructed view (no spare tire, bike/cargo racks, etc.). Shadows may be perceived as obstructions. Attempt to calibrate while driving in an alternate direction if possible.
Ensure dimensions are correct	Enter accurate measurements made to the nearest inch.
Measure correctly	Use the width of the box of the trailer. Do not include the width of the wheels. This helps transparent trailer view and Jack-Knife Alert to work accurately.
Measure V-nose trailers correctly	For V-nose trailers, when measuring the distance between the ball and the front of the trailer, you should measure the distance to the widest part of the trailer, not to the point on the nose.

Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings and road conditions at all times. Visibility, weather and road conditions may affect feature performance. Read the vehicle Owner's Manual for more important feature limitations and information.

Transparent trailer view requires available accessory camera and installation. Not compatible with all trailers. See your dealer for details. This camera view has a trailer-length limitation of 32 feet.

IMPORTANT TERMS

CURB WEIGHT

The weight of a vehicle with all of the standard and optional equipment and a full tank of fuel, but without any passengers or cargo.

GROSS VEHICLE WEIGHT (GVW)

The combined weight of the vehicle and all passengers and cargo.

GROSS VEHICLE WEIGHT RATING (GVWR)

This number is the maximum amount a tow vehicle may weigh. Everything that contributes to the weight of the tow vehicle is featured in this rating, including the weight of the vehicle, driver and all passengers, fuel, payload, tongue load of the trailer, the weight of the hitch and all optional equipment. The GVWR is displayed on the driver's door or door-lock pillar label of your GMC vehicle. The GVW must never exceed the GVWR.

GROSS COMBINED WEIGHT (GCW)

The GVW plus the loaded trailer weight.

GROSS COMBINED WEIGHT RATING (GCWR)

The total allowable weight of the completely loaded vehicle and trailer, including any fuel, passengers, cargo, equipment and accessories.

CARGO WEIGHT

The weight of all items added to the curb weight of the vehicle, including cargo and optional equipment. When towing, cargo weight also includes the trailer tongue or hitch weight.

MAX PAYLOAD

The maximum allowable weight of passengers plus cargo that the vehicle is designed to carry.

GROSS AXLE WEIGHT (GAW)

The total weight placed on a single axle (front or rear).

GROSS AXLE WEIGHT RATING (GAWR)

This is the weight that each axle is capable of supporting. The load on each axle must not exceed the GAWR. The GAWR for each GMC vehicle is displayed on the driver's door or door-lock pillar label.

GROSS TRAILER WEIGHT

The weight of a loaded trailer.

TONGUE (OR HITCH) WEIGHT

The tongue weight is the total amount of trailer weight that is pressing down on the trailer hitch. Keep in mind that the way a trailer is loaded affects the overall tongue weight and will also affect the handling of the tow vehicle when trailering.

TRAILER HITCH TYPES

SELECTING THE RIGHT HITCH


Choosing the right hitch, while ensuring proper electrical connections are made, affects how your vehicle handles, corners and brakes, and allows you to alert other drivers of your intentions. Before selecting a hitch or trailering package, you should be familiar with the weight ratings specific to your GMC vehicle.

WEIGHT-CARRYING HITCH


This consists of a hitch ball mounted on a step bumper or draw bar, or a tow eye latched to a pintle hook. Hitch balls are available in a range of sizes. Make sure that the diameter of your hitch ball matches your trailer coupler. Also check that the ball and ball mount meet or exceed the Gross Trailer Weight Rating.



HITCH BALL ON STEP BUMPER



HITCH BALL ON DRAW BAR



WEIGHT-DISTRIBUTING HITCH