

# 1976 International<sup>®</sup> Scout Terra<sup>™</sup>

**Scout<sup>®</sup> the America others pass by**



INTERNATIONAL HARVESTER



# **1976 International Scout Terra. The only midsize pickup on the market— a real packhorse for work and pleasure.**

Getting to the America others pass by is routine work for the International Scout Terra—the pickup that offers the right balance of looks and practicality. Terra has packhorse capability because it has a 6-foot bed to load your gear plus 11 cubic feet behind the front seat. And Terra's selective 4-wheel drive plus performance-engineered suspension tames any terrain.

But Terra is an ideal commuter or delivery vehicle as well. It offers a smooth-riding 118-inch wheelbase and the practicality of standard 2-wheel drive.

Terra's balanced design makes it good looking and fun to drive.





# Selective 4-wheel drive gets it done when the going gets tough.


Scout® the America others pass by with selective 4-wheel drive on your Terra. Four-wheel drive lets your Terra pack a ton of camping equipment into hunting/fishing country, drive to a remote beach with surfing gear or pull a boat down to a river in the canyon. Scout Terra with 4-wheel drive gives you the best of two worlds — work and play.



**Dashboard-mounted 4-wheel drive makes switching over easy.**

Order selective 4-wheel drive with automatic-locking hubs, and you can engage it from inside the Terra. When you're not using 4-wheel drive, there's less wear on front-drive components, and you save gas because the engine doesn't turn mechanical parts in the front axle.

**Two-speed transfer case increases operating range of your selective 4-wheel drive.**



A two-speed transfer case provides high and low 4-wheel drive ranges and a power-takeoff opening for operating accessory equipment.



Let Terra's tough 4-wheel drive take you off the road to where the good trails begin.



Terra has the versatility to be practical for work or off the road.




Having fun or hauling hands, Terra's 6-foot bed and 2,000-pound weight capacity let you carry a lot of cargo.



# Scout Terra: ruggedness and comfort... takes it tough'n easy.

Terra is designed, engineered and built to stand up to the toughest kind of driving and still deliver comfort, stability and endurance. Sixteen items are incorporated as standard features of the '76 Terra: dual chrome door-mounted mirrors, chrome front and rear bumpers, manual-locking hubs (4x4), cigar lighter, dual electric horns, courtesy lights, parking brake warning light, dome light, chrome wheel covers, tinted glass, front floor mat, cargo area light with dash-mounted switch, one-third/two-thirds front seat, day/night rearview mirror, increased cooling, undercoating. The illustration shows the features that make Scout Terra what you expect from a hard-working, hard-playing pickup.



Direct-reading gauges include: temperature, ammeter, speedometer, oil pressure and fuel. All located in front of driver for easy visibility.

Dash-mounted courtesy lights.

Cargo light for night loading or unloading is standard.

Spacious cargo area is 72 in. long and 54.8 in. wide, with 2000 lb. capacity.

All-steel fuel tank has 19-gallon capacity.

Rust-resistant, sound-deadening undercoating is standard.

118in. wheelbase gives smooth ride.

Choice of engines: economical Comanche 4-cylinder 196, Comanche 304-cu.in. V-8 or the big 345-cu.in. V-8. Operate on lead-free, low-lead or regular fuel.

Three-pass aluminized muffler for quiet operation and durability.

Rugged full-length steel box frame.

Power disc front brakes for fade-resistant, sure braking under all conditions.

Long leaf springs with six leaves front, four leaves rear, providing a 6200lb. gross vehicle weight rating.

Increased cooling for optimum engine operating temperatures under all conditions.

38ft. 10in. turning diameter.


Short hood provides excellent road visibility. Opens from the rear for safety in case of collision.

Double-panel hood gives greater rigidity and muffles engine noise.

New electronic ignition system means quick starts and longer periods between tuneups. Eliminates breaker points and condenser; prolongs spark plug life.

Front seat folds forward from passenger side for easy access to 11 cu.ft. of in-cab storage space.

Optional seven-position steering wheel allows easy entrance and exit and adjusts for personal driving comfort.






# Scout Terra options and accessories to match the way you like to get it done.

Customize your Terra to suit your way of life. Whether you want to add personality or even more practicality to your vehicle, International offers a wide range of options for show or go.



Chrome-plated wheels and radial tires. Chrome-slotted rims with chrome lug nuts, chrome rear axle end plates and steel-belted radial tires really set off your Scout.

Trailer tow package. A must for heavy towing needs. Package includes 61-amp alternator; 72-amp, 12-volt battery; six-way trailer wiring harness; heavy-duty flasher, and Class III equalizer hitch to easily tow up to 5000 pounds. V-8 engine and 4-speed or automatic transmission are required. (Not shown)



Power steering. Helps you get Terra in and out of tight spaces. A seven-position steering wheel adjusts to suit any driver and makes getting in and out of the Terra easier.




Electric winch. Adds a whole new dimension of practicality. Has up to 8000 pounds of pull and comes with 150 feet of steel cable with hook. (Dealer installed.)



Floor console fits models with bucket seats. Stock food, beverages or personal belongings. Includes a convenience tray and lockable storage compartment.




Heavy-duty step bumper with trailer hitch. You can tow up to 2000 pounds, and it's easier to load and unload cargo bed.




Pickup rails add a decorative touch and are useful as tie-downs. (Dealer installed.)

Swing-away mirrors are below eye level for rear visibility without obscuring driving vision. Includes 4" extensions for towing applications.



Snowplow. Electrically operated in two versions: 1. Power lift, manual angling. 2. Power lift, power angling. (Dealer installed.)



Automatic transmission. Three-speed automatic transmission for shiftless driving.



# Color.comfort.style. Perk up your pickup.

Get the kind of interior that suits your personal taste and meets your practical requirements. Choose from five interior trim colors in durable nylon or leatherlike vinyl. Or add bucket seats for sporty styling and lateral support.

**A. Standard interior.** Gives you plenty of leg, head and shoulder room. Deep cushioned vinyl seat is upholstered in long-wearing, cool-looking Tanbark vinyl. Instrument panel is located neatly in front of the driver for easy reading and includes a temperature gauge, oil pressure gauge, speedometer, fuel gauge and ammeter. You also get padded swing-away sun visors and armrests, breakaway mirror and roomy glove compartment.

**Deluxe interior (not shown).** Everything you get in the Standard, with these color-keyed extras: interior door trim panels, vinyl transmission cover, shift tower, vinyl floor mat, and a 1/3-2/3 front seat in vinyl and nylon.

**B. Custom interior.** Color keyed throughout. Thick nylon carpeting for floor and kick panels. Front seat covered with easy-clean nylon trimmed with rich vinyl. Padded woodgrain vinyl door panels. Custom steering wheel with padded horn ring and vinyl column boot. Woodgrain insert on shift console.

**C. Bucket seats.** Available as an option with standard, Deluxe and Custom interiors. Terra bucket seats are specially contoured and have thick foam padding on seat and back for comfort and support. Both buckets tilt forward for easy access to in-cab storage space from either side. And for added convenience you can order factory- or dealer-installed console which includes a convenience tray, lockable compartment. (Shown in opt. vinyl saddle.)

**D. Extra storage space.** Front seat folds forward for easy access to generous 11 cubic feet of in-cab storage space. Provides lockable area for packages and valuables or more room for camping gear and equipment.

## Interior trim.



## Exterior colors.





## Specifications

| Series: Scout Terra | 4 x 2                   |                           | 4 x 4                                                  |                                  |
|---------------------|-------------------------|---------------------------|--------------------------------------------------------|----------------------------------|
| GVW Ratings (lb.)   | 6200                    |                           | 6200                                                   |                                  |
|                     | STANDARD                | OPTIONAL                  | STANDARD                                               | OPTIONAL                         |
| Engines             | 4-Cyl.<br>V-8s          | 4-196<br>V-8 304, V-8 345 | 4-196<br>V-8 304, V-8 345                              |                                  |
| Clutch              | 11" Angle Link          | 11" Angle Link H.D.       | 11" Angle Link                                         | 11" Angle Link H.D.              |
| Front Suspension    | Type                    | FA-3 Tubular Steel        | F-44 Driving Hypoid<br>Single Reduction                |                                  |
|                     | Axle Cap. (lb.)         | 3200                      | 3200                                                   |                                  |
|                     | Springs-Cap. (lb.)      | 3100                      | 3200 H.D.                                              | 3100                             |
|                     | Shock Absorbers         | 1" Diam.                  | 1 1/2" Diam.                                           | 1" Diam.                         |
|                     | Stabilizer Bar          | Front                     | Front                                                  |                                  |
| Rear Suspension     | Asse Type               | Semifloating              | Semifloating<br>w/Trac-Lok                             | Semifloating<br>w/Trac-Lok       |
|                     | Asse Cap. (lb.)         | 3500                      | 3500                                                   | 3500                             |
|                     | Ratios                  | 4.09                      | 3.07<br>3.54                                           | 4.09<br>3.07<br>3.54             |
|                     | Springs-Type            | Steel Leaf                | Steel Leaf                                             |                                  |
|                     | Springs-Cap. (lb.)      | 3100                      | 3100                                                   |                                  |
|                     | Shock Absorbers         | 1" Diam.                  | 1 1/2" Diam.                                           | 1" Diam.                         |
| Brakes              | Front/Rear              | Power Disc/Drum           |                                                        | Power Disc/Drum                  |
| Electrical          | Battery (amp.)          | 55                        | 72                                                     | 55                               |
|                     | Alternator (amp.)       | 37                        | 61                                                     | 37                               |
| Fuel Tank           | Nominal Capacity (gal.) | 19                        |                                                        | 19                               |
| Steering            | Type                    | Manual                    | Integral Power                                         | Manual                           |
| Transmission        |                         | 3-Speed Manual            | 4-Speed Manual<br>Synchronesh<br>(Wide or Close Ratio) | 3-Speed<br>Manual<br>Synchronesh |
|                     |                         |                           | 3-Speed<br>Automatic                                   | 3-Speed<br>Automatic             |
| Transfer Case       |                         |                           | Single-Speed<br>"Silent Drive"                         | 2-Speed<br>Gear Drive            |
| Tires               | Tubeless Tires-Size     | H78x15 LRB                | H78x15 PC Mud & Snow<br>HR78x15PC Radial WSW           | H78x15PC<br>HR78x15PC Radial WSW |

## 1976 Terra Towing Recommendations

### Trailer Specifications

| Class                            | I                                        | II                                              | III                                             |
|----------------------------------|------------------------------------------|-------------------------------------------------|-------------------------------------------------|
| Loaded Trailer Weight            | Up to 2000 lb.                           | 2000 lb. to 3500 lb.                            | 3500 lb. to 5000 lb.                            |
| Max. Gross Combined Weight       | 6700 lb.                                 | 7200 lb./8200 lb.                               | 10,000 lb.                                      |
| Trailer Hitch Type               | H.D. Step Bumper                         | Equalizer Type                                  | Equalizer Type                                  |
| Max. Tongue Load                 | 300 lb.                                  | 15% of Gross Trailer Weight                     | 15% of Gross Trailer Weight                     |
| Engine                           | V-8 304                                  | V-8 345/V-8 304                                 | V-8 345                                         |
| Transmission (Automatic)         | T-407                                    | T-407                                           | T-407                                           |
| Transmission (Manual)            | T-33L, 3-Speed w/Heavy-Duty Clutch       | T-428 Close Ratio 4-Speed w/Heavy-Duty Clutch   | T-428 Close Ratio 4-Speed w/Heavy-Duty Clutch   |
| Axle Ratio                       | 3.07 w/Auto 3.54 w/Manual                | 3.07/3.54                                       | 3.54                                            |
| Tires                            | H78x15 LRB Standard                      | H78x15 LRB Standard                             | HR78x15 LRB                                     |
| Standard GVWR (lb.)              | 6200                                     | 6200                                            | 6200                                            |
| Front GAWR (lb.)                 | 3100                                     | 3100                                            | 3100                                            |
| Rear GAWR (lb.)                  | 3100                                     | 3100                                            | 3100                                            |
| Electrical Battery               | 55 amp. hr. Standard 37 amp. Recommended | 72 amp. hr. w/Towing Pkg. 61 amp. w/Towing Pkg. | 72 amp. hr. w/Towing Pkg. 61 amp. w/Towing Pkg. |
| Alternator 5-Way Wiring          | Standard                                 | Standard                                        | Standard                                        |
| Heavy-Duty Closed Cooling System | Standard                                 | Standard                                        | Standard                                        |
| Power Brakes (Disc Front)        | Standard                                 | Standard                                        | Standard                                        |
| Power Steering                   | Not Required                             | Recommended                                     | Recommended                                     |

### Engine Specifications

| Engine Specifications*         | Comanche 4-196 | Comanche V-8 304 | V-8 345       |
|--------------------------------|----------------|------------------|---------------|
| Displacement (cu. in.)         | 196            | 304              | 345           |
| Bore & Stroke (in.)            | 4 1/8 x 3 1/2  | 3 1/8 x 3 1/2    | 3 1/8 x 3 1/2 |
| Compression Ratio              | 8.02 to 1      | 8.19 to 1        | 8.05 to 1     |
| SAE Net Horsepower @ rpm       | 86 @ 3800      | 144 @ 3600       | 163 @ 3600    |
| SAE Net Torque (lb.-ft.) @ rpm | 157 @ 2200     | 247 @ 2400       | 292 @ 2000    |

\*Dual exhaust standard on all V-8 engines.







## 1976 International Family of Scouts



**Scout II**



**Scout Traveler**



**Scout Terra**



**INTERNATIONAL  
SCOUT TERRA**

Speed, mileage, descriptions, photographs and illustrative material in this literature are as accurate as known at time of publication but are subject to change without notice. Photographed locations may include optional accessories and accessories and may not include all standard equipment.