

JENSEN-HEALEY





HISTORY. The making of a classic

The history of car making sparkles with famous pairings, since the days of Rolls and Royce.

The success of such marques has often stemmed from a unique fusion of diverse talents, in cars that reflect the best of both.

So it is with Jensen and Healey.

Two names that had earned their reputations for engineering and design long before the Jensen brothers first built bodies for the Healey 100 of two decades ago.

The relationship continued until the demise of the Healey 3000 in 1967. And its success can be measured in the strong admiration which the car still commands six years later.

Now, the two names are joined in one uncompromising car. The Jensen-Healey.

It combines the blue-blooded heritage of British sports car design with the very latest technological developments in automotive engineering.

The result is a car that's made to be best in its class for years. And years to come.

The qualities of a classic

The Jensen-Healey has all the characteristics of a proper sports car for the '70s: comfort, handling, performance and safety. It's the breeding behind the machine, and the flair with which the qualities are balanced, that makes Jensen-Healey a classic.

Driving it is the only way to experience the feeling. As Motor Trend said: "It has been some time since we have been moved to a burst of laughter brought on by sheer joy in a car, but it happened with the Jensen-Healey."

The car responds quickly to every light touch with a positive reaction. Accelerating onto a motorway—turning a twisting side road—braking for the unexpected—even dawdling along in heavy traffic. Everywhere you take a Jensen-Healey, you rediscover

pressures you thought motoring had left behind.

Handling and ride:

Sure-footed comfort everywhere

Gone are the days of struggling with a sports car to make the most of its performance. Even though power outputs are greater, suspension technology has kept pace.

So, in the Jensen-Healey, there's enough sophistication to give a feeling of security all the time. Which in turn allows you to use all the performance you want, with confidence.

From wide, low-profile radials on specially-cast 5½" section alloy wheels, to its sure-footed suspension, the Jensen-Healey promises good roadholding.

Add the stopping power of a servo-assisted dual line braking system, the precision of rack and pinion steering—and you have a car that can comfortably cover all kinds of ground deceptively fast.





Heart of the matter:

The brilliant Lotus Powerplant

A modern British sports car as special as the Jensen-Healey demands something much more sophisticated than the usual adapted family saloon powerplant.

The Lotus developed 2.0-litre OHV engine is a perfect choice. Light alloy, with 4 valves per cylinder. Retaining all the mechanical niceties of its racing engine forebears but giving a wide, usable band of power from idlerow to a peak of 140 BHP at 5500 RPM.

While it can pass present U.S. emissions standards without air pumps or exhaust recirculation, this engine is still capable of producing outstanding acceleration figures. Like 0-60 MPH in 7.8 seconds, and 0-110 MPH in 35 seconds.*

The power is transmitted through a four-speed, all-synchromesh gearbox. And known characteristics are such that the car will pull solidly and smoothly from under 2000 RPM in any gear—unusual flexibility for such exhilarating performance.

Add to that a miserly thirst for fuel—around 25 MPG—and you begin to appreciate what a remarkable powerplant the Jensen-Healey has.

Assembly to testing:

Jensen quality all the way

Attention to detail is the key. That's what maintains high standards, and makes the Jensen-Healey a superior sports car.

Once the engine and completely-trimmed body have been carefully united, every car is thoroughly road tested. Then, it has to pass a high pressure water test against leaks. These are just some of the many quality control checks throughout the assembly process.

Interior design: accent on comfort

The lack of body roll, rattles and bumps puts a Jensen-Healey driver at ease from the first turn of the wheel.

But even before the car moves, you'll notice the comfort. With more legroom than a six-footer could ask for, ample headroom, and space to move your elbows without fitting obstructions.

The fully adjustable, reclining seats are ergonomically designed to hold you in place, and soft enough to do it gently.

For safety's sake, seats have adjustable head restraints, while the inverse reel lap and diagonal seat belts incorporate a reminder warning system. Ahead of the fully padded steering wheel, the oval instrument panel is set in a foam-filled face.

The driving position itself is excellent—the steering wheel providing a secure, comfortable grip exactly where you want. Easily-read speedometer and tachometer dials are directly in front. These are flanked by other instruments, including voltmeter, oil pressure, water temperature, fuel and battery condition indicators.

All switches are within easy reach; as are the heater controls. Heating and ventilation are taken care of by an integral unit with outlets to the footwells and adjustable fresh air face vents, which can be boosted with the heater fan if required.



Separate ram air vents provide additional ventilation to the footwells. Combined, these systems provide an ideal 'climate' in all weather conditions.

Contrary to sports car tradition, there's plenty of storage space in the cockpit, too: in a lockable glove compartment on the fascia, covered cubby box in the full-length central console, and a large carpeted luggage area behind the seats. Like the rest of the interior, it reflects the designer's thoughtfulness.

Exterior details: the finishing touches

The Jensen-Healey can be two great sports cars in one. With the standard hood, it's a wind-in-the-hair summer car or a draught and waterproof long-distance tourer. With the optional Hardtop, you have extras like a heated rear window, and through-flow ventilation to add to your comfort.

You'll notice that the boot is unusually large for a sports car at 6 cu.ft. The space is created by carrying the spare wheel beneath the boot floor, while inside the counterbalanced lid, all luggage travels safely—protected by full covering.

These are the finishing touches that help make the Jensen-Healey surprisingly good value for money. It's a sports car that's every inch a Jensen, except for the price tag.



[illegible][illegible]

4 tapered and reverse-internal bevels. All horizontal gear teeth have 14.5° pressure angle. Gear type: 1st 11.03:1, 2nd 3.40:1, 3rd 4.80:1, 4th 1.13:1, 5th 1.20:1. Dist: 81 in. (2056 mm) shaft-to-shaft type. Cast aluminum, ball-bearing steel shafts. Open planetary shaft. Input and output shafts 3.75 in.

From: Independent, double nutrition, full
groups and therapeutic dieting. Post: low carb,
low fat, full groups and therapeutic dieting.

Black and green. Fully pollinated (about 40%) in 2002 and 2003 (mean 2002–2003). Pollen tube growth rapid.

Turning onto 32th (N158 road), 3.78 miles before
to rock. Spacing column rock. Look for the
watering-house (N158 road).

1148 38 radial ply tires, 2000 wheel in center.
 1149 38 radial ply tires, 2000 wheel in center.
 1150 38 radial ply tires, 2000 wheel in center.

Seeds collected from the following: 1910-1911, 1912-1913, 1914-1915, 1916-1917, 1918-1919, 1920-1921, 1922-1923, 1924-1925, 1926-1927, 1928-1929, 1930-1931, 1932-1933, 1934-1935, 1936-1937, 1938-1939, 1940-1941, 1942-1943, 1944-1945, 1946-1947, 1948-1949, 1950-1951, 1952-1953, 1954-1955, 1956-1957, 1958-1959, 1960-1961, 1962-1963, 1964-1965, 1966-1967, 1968-1969, 1970-1971, 1972-1973, 1974-1975, 1976-1977, 1978-1979, 1980-1981, 1982-1983, 1984-1985, 1986-1987, 1988-1989, 1990-1991, 1992-1993, 1994-1995, 1996-1997, 1998-1999, 2000-2001, 2002-2003, 2004-2005, 2006-2007, 2008-2009, 2010-2011, 2012-2013, 2014-2015, 2016-2017, 2018-2019, 2020-2021, 2022-2023, 2024-2025, 2026-2027, 2028-2029, 2030-2031, 2032-2033, 2034-2035, 2036-2037, 2038-2039, 2040-2041, 2042-2043, 2044-2045, 2046-2047, 2048-2049, 2050-2051, 2052-2053, 2054-2055, 2056-2057, 2058-2059, 2060-2061, 2062-2063, 2064-2065, 2066-2067, 2068-2069, 2070-2071, 2072-2073, 2074-2075, 2076-2077, 2078-2079, 2080-2081, 2082-2083, 2084-2085, 2086-2087, 2088-2089, 2090-2091, 2092-2093, 2094-2095, 2096-2097, 2098-2099, 2100-2101, 2102-2103, 2104-2105, 2106-2107, 2108-2109, 2110-2111, 2112-2113, 2114-2115, 2116-2117, 2118-2119, 2120-2121, 2122-2123, 2124-2125, 2126-2127, 2128-2129, 2130-2131, 2132-2133, 2134-2135, 2136-2137, 2138-2139, 2140-2141, 2142-2143, 2144-2145, 2146-2147, 2148-2149, 2150-2151, 2152-2153, 2154-2155, 2156-2157, 2158-2159, 2160-2161, 2162-2163, 2164-2165, 2166-2167, 2168-2169, 2170-2171, 2172-2173, 2174-2175, 2176-2177, 2178-2179, 2180-2181, 2182-2183, 2184-2185, 2186-2187, 2188-2189, 2190-2191, 2192-2193, 2194-2195, 2196-2197, 2198-2199, 2200-2201, 2202-2203, 2204-2205, 2206-2207, 2208-2209, 2210-2211, 2212-2213, 2214-2215, 2216-2217, 2218-2219, 2220-2221, 2222-2223, 2224-2225, 2226-2227, 2228-2229, 2230-2231, 2232-2233, 2234-2235, 2236-2237, 2238-2239, 2240-2241, 2242-2243, 2244-2245, 2246-2247, 2248-2249, 2250-2251, 2252-2253, 2254-2255, 2256-2257, 2258-2259, 2260-2261, 2262-2263, 2264-2265, 2266-2267, 2268-2269, 2270-2271, 2272-2273, 2274-2275, 2276-2277, 2278-2279, 2280-2281, 2282-2283, 2284-2285, 2286-2287, 2288-2289, 2290-2291, 2292-2293, 2294-2295, 2296-2297, 2298-2299, 2300-2301, 2302-2303, 2304-2305, 2306-2307, 2308-2309, 2310-2311, 2312-2313, 2314-2315, 2316-2317, 2318-2319, 2320-2321, 2322-2323, 2324-2325, 2326-2327, 2328-2329, 2330-2331, 2332-2333, 2334-2335, 2336-2337, 2338-2339, 2340-2341, 2342-2343, 2344-2345, 2346-2347, 2348-2349, 2350-2351, 2352-2353, 2354-2355, 2356-2357, 2358-2359, 2360-2361, 2362-2363, 2364-2365, 2366-2367, 2368-2369, 2370-2371, 2372-2373, 2374-2375, 2376-2377, 2378-2379, 2380-2381, 2382-2383, 2384-2385, 2386-2387, 2388-2389, 2390-2391, 2392-2393, 2394-2395, 2396-2397, 2398-2399, 2400-2401, 2402-2403, 2404-2405, 2406-2407, 2408-2409, 2410-2411, 2412-2413, 2414-2415, 2416-2417, 2418-2419, 2420-2421, 2422-2423, 2424-2425, 2426-2427, 2428-2429, 2430-2431, 2432-2433, 2434-2435, 2436-2437, 2438-2439, 2440-2441, 2442-2443, 2444-2445, 2446-2447, 2448-2449, 2450-2451, 2452-2453, 2454-2455, 2456-2457, 2458-2459, 2460-2461, 2462-2463, 2464-2465, 2466-2467, 2468-2469, 2470-2471, 2472-2473, 2474-2475, 2476-2477, 2478-2479, 2480-2481, 2482-2483, 2484-2485, 2486-2487, 2488-2489, 2490-2491, 2492-2493, 2494-2495, 2496-2497, 2498-2499, 2500-2501, 2502-2503, 2504-2505, 2506-2507, 2508-2509, 2510-2511, 2512-2513, 2514-2515, 2516-2517, 2518-2519, 2520-2521, 2522-2523, 2524-2525, 2526-2527, 2528-2529, 2530-2531, 2532-2533, 2534-2535, 2536-2537, 2538-2539, 2540-2541, 2542-2543, 2544-2545, 2546-2547, 2548-2549, 2550-2551, 2552-2553, 2554-2555, 2556-2557, 2558-2559, 2560-2561, 2562-2563, 2564-2565, 2566-2567, 2568-2569, 2570-2571, 2572-2573, 2574-2575, 2576-2577, 2578-2579, 2580-2581, 2582-2583, 2584-2585, 2586-2587, 2588-2589, 2590-2591, 2592-2593, 2594-2595, 2596-2597, 2598-2599, 2600-2601, 2602-2603, 2604-2605, 2606-2607, 2608-2609, 2610-2611, 2612-2613, 2614-2615, 2616-2617, 2618-2619, 2620-2621, 2622-2623, 2624-2625, 2626-2627, 2628-2629, 2630-2631, 2632-2633, 2634-2635, 2636-2637, 2638-2639, 2640-2641, 2642-2643, 2644-2645, 2646-2647, 2648-2649, 2650-2651, 2652-

[illegible]

Intact, fully upholstered metal beds, complete with head and foot rails, constructed with solid oak frame and matching panels. Interior adjustable headboard and footboard, upholstered in vinyl, designed and built with automatic steering device. Room had private lavatory and linen closet paired with vanity, private lock, full length mirror and built-in vanity. Room had built-in closet for clothing and shoes. In room, two vinyl covered metal beds. Beds upholstered in vinyl covered with foam cushions and webbing, adjustable, adjustable to rock and recline. Adjustable headboard and footboard, upholstered in vinyl. Beds had solid metal interior mounting on floor supports. Built-in door lock, metal, laminated with vinyl and upholstered in padded designed that matches vinyl covered beds. Beds had built-in interior extension at viewing angle. Terminal, power, national code. Size is 11 ft 11 in fully extended including in a hospital configuration. Complete.

Speedometer, altitude (barometer), voltmeter, oil pressure, water temperature and fuel gauges. Steering lights for, east (left), ignition, direction indicator, main beam, brake failure (LHD only) and hand brake.

Trunk level top and diagonal safety belts are both made with soft, woven covering fabric.

Journal of Management Inquiry 23(1) 3-16
© The Author(s) 2014
Reprints and permissions: sagepub.com/journalsPermissions.nav
DOI: 10.1177/1056492614525001
jmi.sagepub.com

with 4 to 2 speed motor, blower, fan and
control.

Exterior Vinyl Siding: Blending with the landscape, exterior vinyl siding is a low-maintenance choice for your home's exterior.

Integrated detachable hard top with heated rear window (in dual-zone mode) and warning light through front ventilation.

A Length:	2.00	8 in. (20.32 mm)	
B Width:	5.75	5 in. (12.70 mm)	
C Height: Soft Top	3.75	15 in. (38.10 mm)	
	Fixed Top	4.00	16 in. (40.62 mm)
D Unbracketed:	7.00	8 in. (20.32 mm)	
E Back, front:	4.00	16 in. (40.62 mm)	
F Seat:	4.00	16 in. (40.62 mm)	
G Overall clearance:		1 in. (25.40 mm)	


† Stefan.Kuehnle@uni-wuerzburg.de <http://www.uni-wuerzburg.de/psychologie>

Plant height 1.2 m; 1905 mm;
shoot height 12 m; 1905 mm;
Minimum: within auto height; 2718 mm;
(942 kg).

Default modifications to this form, if any, may be set by users in order to comply with local legislation.

These specific details do not refer to the particular vehicle which is accepted or refused for sale. The salesperson must explain the right to vary all or part of the specification details such as colour, model and trim level, and must also explain the right to vary the price. A salesperson must also explain the right to vary the delivery date. A salesperson must also explain the right to vary the delivery date. A salesperson must also explain the right to vary the delivery date.

This publication shall not constitute an endorsement or recommendation of any product or service by the publisher or the publisher's agents. The publisher and its agents shall not be responsible for any loss or damage, including consequential damages, arising from the use of any product or service.



JENSEN-HEALEY

Head Office:
Jensen Motors Limited
Edwin Way
Preston, Lancashire PR1 7JL
Tel: (0207) 463 2867
Telex: 28528

London Office:
Jensen Interiors Limited
Crestford House
117 Fulham Road
London, S.W.3
Tel: 0181 884 2001-13

U.S. Correspondent:
James Murray, Inc.
41200 Sunset Blvd.
Covina, CA 91730