

Urraco
111



urraco 111 lamborghini

The Lamborghini URRACO:
A high performance mid engine
four seater "Berlinetta"
with medium cubic capacity.
Successor to the advanced technical
designs incorporated in the 350 and 400 GT 2+2,
the URRACO offers outstanding performance
and road holding,
combined with all round versatility.





design


bertone




The URRAGO, with its Bertone designed body, is both streamlined and compact. The many innovative features of the car include an aerodynamic body which combines comfort to complement the car's outstanding performance.









PRINCIPLE ENGINEERING FEATURES

Suspension: McPherson four wheel independent struts, with high-precision geometry.

Steering: Rack and pinion. This has been chosen following the study of advanced technical data which has proved that this type of steering is the most suitable for sports cars. The absence of a steering column allows for the maximum degree of safety.

Engine: The V8 engine mounted at 90 degrees combines maximum power at full revs, with complete flexibility at low and medium speeds.

LAMBORGHINI URRACO 111

Engine and transmission

Engine: V 8 at 90°
Displacement: 2463 cm³ (86x53)
Compression ratio: 10.4:1
Maximum horsepower: 180 HP (DIN)
Maximum torque: 20 Mkg.
Maximum RPM: 7500
Engine location: central-transverse
Block and heads: Light alloy
Main bearings: 5
Ignition: one distributor and 1 coil
Spark plugs: Bosh 235 P 21
Fuel pump: 1 Bendix electric pump 12 V
Carburation: 4 twin - choke carburettors
Lubrication: gear pump
Cooling System: water-cooling by means of a centrifugal pump and of 3 electric fans (two of them with a thermal contact)

Electrical system

Voltage: 12 V
Battery: 55 Amp
Alternator: Bosch 770 W

Clutch

Single dry disc

Gearbox

Lamborghini 5 speeds + reverse

Transmission

Half-shafts with constant-moving joints

Chassis

Body: monocoque type
Front suspension: Mc Pherson
Rear suspension: Mc Pherson
Both with anti-roll bars
Brakes: twin-circuit ventilated brakes
Steering: rack-and-pinion-type
Wheels: magnesium alloy - 7.5"x14"
Tyres: radial, low profile 205/70 VR 14 type

Body

4 seater coupé (Bertone)
Length: 4440 mm.
Width: 1740 mm.
Height: 1160 mm.
Wheelbase: 2450 mm.
Track front 1450 mm., rear 1470 mm.
Trunk capacity: 285 lt.

Weight

Dry weight (with oil and water): 1300 kos.

Performance

Max speed: 140 mph.
Acceleration on standing km (with 2 Passengers): 26.8"

lamborghini



AUTOMOBILI FERRUCCIO LAMBORGHINI S.p.A.

40019 S. AGATA BOLOGNESE (BO)

ITALIA

TEL. (051) 956171-2-3