

# Land Rover High Capacity Pick-Up







A pick-up for all your applications with a payload of up to 1.3 tonnes. This vehicle is the latest long wheelbase model to be added to the comprehensive range of Land Rovers. It is available with two different suspension packages which are optional depending upon your requirements and the type of use for which the vehicle is intended.

**3020 kg GVW** – This is the high load specification which offers a large payload of **1.3 tonnes** and substantial load area capabilities. The high Capacity Pick-Up has a full width tailgate and localised wheelarches which minimise intrusion into the payload area. It is available with the 2¼ litre petrol or diesel engine or the 3½ litre petrol engine.

- The High Capacity Pick-Up has specific competitive advantages such as :-
- Rust-proof aluminium body.
- Larger cargo cube.
- Superior payload at 3020 kg GVW.
- Wider floor height for easy loading.

#### PRODUCT FEATURES

- **Standard 2710 Kg GVW and optional High-Load 3020 Kg GVW.**
- Large 'Single-Plane' load area.
- All aluminium rust-proof body.
- Wide, full width tailgate with single-hand operation release levers.
- Localised wheelarches.
- Low loading height.
- Wide cargo bed.
- Ladder rack/Pole carrier.
- Rear lamp protection bars.

- **Additional features on the High-Load 3020 Kg GVW.**
- Massive 1.3 tonne payload.
- Low ratio steering.
- Steering damper.
- High load suspension.

**LAND  
- ROVER**

# Land Rover High Capacity Pick-Up

## TYRES

The current range of approved tyres are available on the 2710kg GVW version. For the 3020kg GVW High-Load the standard tyre is the Avon Range Ranger MK2-6 ply.

Optional tyres available are:

- Michelin XS.
- Michelin XC4 8 ply radial.
- Michelin XCL.
- Dunlop RTM 8 ply (not V8).
- Avon Range Master Radial


## OPTIONAL EQUIPMENT

A wide range of accessories are available to meet all your requirements.

Specific items are:

- $\frac{3}{4}$  length canvas hood.
- 7 pin trailer socket and plug.
- Mudflaps.
- Towing drop plate/jaw/hook/ball.
- County seats.
- County acoustic trim.
- Cubby box (only in certain markets).

See your local Dealer for a complete list of the options and accessories available.



Bed length A = 2.01m (79")  
Bed width B = 1.63m (64")  
Bed width C = 0.92m (36")

| ENGINE             | BORE     | STROKE  | CAP-<br>ACITY        | MAX<br>TORQUE                  | MAX<br>POWER                         | TRANSMISSION                                                 |
|--------------------|----------|---------|----------------------|--------------------------------|--------------------------------------|--------------------------------------------------------------|
| 2½ litre<br>Petrol | 90.47 mm | 88.9 mm | 2286 cm <sup>3</sup> | (117lb.ft)<br>at<br>2000 rpm   | 51.5kw/<br>69bhp<br>at<br>4000 rpm   | Selectable<br>4 wheel<br>drive                               |
| 3½ litre<br>Petrol | 88.9 mm  | 71.1 mm | 3528 cm <sup>3</sup> | (166.5lb.ft)<br>at<br>2000 rpm | 67.7kw/<br>90.7bhp<br>at<br>3500 rpm | Permanent<br>four wheel drive<br>through centre<br>3rd diff. |
| 2½ litre<br>Diesel | 90.47 mm | 88.9 mm | 2286 cm <sup>3</sup> | (103lb.ft)<br>at<br>1800 rpm   | 44.8kw/60bhp<br>at<br>4000 rpm       | Selectable<br>4 wheel<br>drive                               |



## PAYLOAD DATA

| Model     | EEC<br>Kerb Weight |      |        |      | EEC<br>Payload |      |        |      | Non EEC<br>Kerb Weight |      |        |      | Non EEC<br>Payload |      |        |      |
|-----------|--------------------|------|--------|------|----------------|------|--------|------|------------------------|------|--------|------|--------------------|------|--------|------|
|           | 2710kg             |      | 3020kg |      | 2710kg         |      | 3020kg |      | 2710kg                 |      | 3020kg |      | 2710kg             |      | 3020kg |      |
|           | kgs                | lbs  | kgs    | lbs  | kgs            | lbs  | kgs    | lbs  | kgs                    | lbs  | kgs    | lbs  | kgs                | lbs  | kgs    | lbs  |
| 2½ Petrol | 1627               | 3586 | 1686   | 3709 | 1083           | 2387 | 1334   | 2941 | 1503                   | 3313 | 1562   | 3436 | 1207               | 2660 | 1458   | 3214 |
| 2½ Diesel | 1676               | 3694 | 1719   | 3782 | 1034           | 2279 | 1301   | 2868 | 1544                   | 3403 | 1587   | 3498 | 1166               | 2570 | 1433   | 3158 |
| 3½ Petrol | 1674               | 3689 | 1717   | 3777 | 1036           | 2283 | 1303   | 2873 | 1550                   | 3416 | 1593   | 3505 | 1160               | 2557 | 1427   | 3146 |

**Note:** EEC Kerb Weights—are the minimum vehicle specification + full tank and 75 kg driver.  
Non-EEC Kerb Weights—are the minimum vehicle specification excluding driver and fuel.

| TOWING WEIGHTS                                                                 | P<br>4 cyl       |                  | D<br>4 cyl       |                  | P<br>8 cyl       |                  |
|--------------------------------------------------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|                                                                                | On road          | Off road         | On road          | Off road         | On road          | Off road         |
| Trailer without brakes                                                         | 500kg            | 500kg            | 500kg            | 500kg            | 500kg            | 500kg            |
| Trailer with overrun brakes                                                    | 2000kg<br>4410lb | 1000kg<br>2205lb | 2000kg<br>4410lb | 1000kg<br>2205lb | 2000kg<br>4410lb | 1000kg<br>2205lb |
| 4 wheel trailer with continuous or semi-continuous brakes, i.e. coupled brakes | 4000kg<br>8820lb | 1000kg<br>2205lb | 3000kg<br>6615lb | 1000kg<br>2205lb | 4000kg<br>8820lb | 1000kg<br>2205lb |

Advised trailer nose weight limit 75kg.



**Land Rover Ltd**

Lode Lane, Solihull, West Midlands, England. Telephone: 021-743 4242 Telex: LanRovG338641 Cables Rover Solihull

PRINTED IN ENGLAND LR/199/2.82/70M(B)