

MERCEDES-BENZ VANS FAMILY



Mercedes-Benz
Vans. Born to run.





VANS

- 4 OUR HISTORY
- 6 SAFETY
- 8 PERFORMANCE
- 10 COST EFFICIENCY

SPRINTER

- 12 INTRODUCTION
- 14 CARGO
- 16 CREW
- 18 PASSENGER
- 20 CAB CHASSIS/CUTAWAY
- 22 4X4
- 24 WORKER CARGO
- 25 WORKER PASSENGER

METRIS

- 26 INTRODUCTION
- 30 CARGO
- 32 PASSENGER
- 34 WORKER CARGO
- 35 WORKER PASSENGER

PRODUCT DETAILS

- 36 MASTERUPFITTER
- 37 MASTERSOLUTIONS
- 38 FINANCE SOLUTIONS
- 39 SERVICE & MAINTENANCE
- 40 SPRINTER SPECIFICATIONS
- 48 METRIS SPECIFICATIONS

120 Years of Van Innovation



WE INVENTED HARD CORE.

Over a hundred years ago, we recognized the need for a vehicle that could take on heavy loads and not back down from any job. The result? Mercedes-Benz invented the van. That first van paved the way for an entirely new segment and set the standard for others to follow. As the need for vans grew, Mercedes-Benz surpassed all expectations to become the world's largest commercial vehicle manufacturer. While our latest Sprinter and Metris Vans continue to raise the bar for innovation and technology, they still hold true to our core values: to create vans that deliver an extraordinary level of performance, durability, and safety to every owner.



DRIVER AND PASSENGER AIRBAGS¹

The driver and passenger front, thorax, and window airbags¹ help protect you and your passengers in the event of a collision. Passenger Vans are also equipped with rear curtain airbags.¹

Sprinter airbags shown are from model year 2014.

SAFETY

We thought about safety so you can think about work.

Getting the job done is about staying focused. Our groundbreaking safety innovations deliver an extra level of protection for your cargo and passengers — and give you one less thing to think about.

Standard on all Mercedes-Benz Vans, Crosswind Assist² can help you stabilize your van in gusting crosswinds, while standard front, thorax, and window airbags¹ help keep you protected. Plus, we're the only van in the segment featuring standard Load-Adaptive Electronic Stability Program (ESP®).³ Factor in available Blind Spot Assist,⁴ Lane Keeping Assist,⁵ Highbeam Assist, and COLLISION PREVENTION ASSIST,⁶ and it will be easy to keep your mind on the job knowing that your van is helping you stay safe.

STANDARD HIGHLIGHTS



CROSSWIND ASSIST²

Crosswind Assist² helps you stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps you ensure that your vehicle remains in its lane at highway speeds.



LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP®)³

This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.



**ATTENTION ASSIST®⁷
(STANDARD ON METRIS ONLY)**

ATTENTION ASSIST®⁷ helps prevent drowsy driving by monitoring your driving patterns and providing an early warning in case fatigue is detected.



RESCUE ASSISTSM

With Rescue AssistSM, first responders to an accident can scan a QR code in a Mercedes-Benz Van to quickly see where batteries, airbags, and other structural elements are located in order to safely perform the rescue.

OPTIONAL HIGHLIGHTS



LANE KEEPING ASSIST⁵

Lane Keeping Assist⁵ can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.



COLLISION PREVENTION ASSIST®

COLLISION PREVENTION ASSIST® is a radar-based proximity warning system that can issue visual and audible warnings when vehicles traveling ahead come within a potentially dangerous distance of your van. In emergency situations, boosted braking pressure levels automatically assist to help prevent rear-end collisions.



BLIND SPOT ASSIST⁴

Using radar sensors to monitor approaching vehicles on multilane highways, this system can detect vehicles in your blind spot and alert you visually and audibly.



REARVIEW CAMERA®*

The visual parking aid is activated when the Reverse gear is selected, giving you a view of what's going on behind you as well as providing overlays with which to guide you.

*Metris image shown



PERFORMANCE

Sophisticated technology. Old-school grunt.

All the cargo volume in the world doesn’t mean a thing if your van can only crawl under the weight of a heavy load. The Sprinter and Metris drivetrains are specifically designed to accelerate under these conditions — and save you money along the way.

The Sprinter’s standard 2.1L 4-cylinder turbo diesel engine⁹ has the power you’ll need and saves up to 18%¹⁰ on fuel costs (versus the 6-cylinder), which can lower your total cost of ownership. For heavy-duty Sprinter applications, an available 3.0L V6 turbo diesel engine⁹ with a 5-speed transmission is the ideal choice. Plus, the optional 4x4 drivetrain with on-demand 4-wheel drive will keep you going even when the weather and road conditions turn bad.

The Metris is equipped with a 2.0L 4-cylinder turbocharged gasoline engine that is designed to produce substantial torque at low rpms. The combination of high torque and horsepower provides impressive performance throughout the operating range.

MERCEDES-BENZ SPRINTER

STANDARD 2.1L 4-CYLINDER TURBO DIESEL ENGINE⁹
WITH 7-SPEED TRANSMISSION



“Expect the Sprinter (standard 4-cylinder engine) to achieve significantly better mileage than competitors with gasoline engines.”

— Edmunds

- Diesel engine⁹
- Displacement: 2,143 cc
- 161 hp @ 3,800 rpm
- Rated torque: 265.5 lb-ft @ 1,400–2,400 rpm
- Tank capacity: 24.5 gallons
- Battery: AGM 12V/95Ah, alternator 14V/200A (Cargo), AGM 12V/95Ah, alternator 14V/250A (Passenger)

OPTIONAL 3.0L V6 TURBO DIESEL ENGINE⁹
WITH 5-SPEED TRANSMISSION



“...the tried-and-true 3.0-liter V6 turbo diesel... strong pulling power, good fuel economy, and proven longevity.”



— Kelley Blue Book’s KBB.com*

- Diesel engine⁹
- Displacement: 2,987 cc
- 188 hp @ 3,800 rpm
- Rated torque: 325 lb-ft @ 1,400–2,400 rpm
- Tank capacity: 24.5 gallons
- Battery: 12V/100Ah, alternator 14V/220A (Cargo), AGM 12V/95Ah, alternator 14V/220A (Passenger)

MERCEDES-BENZ METRIS

2.0L 4-CYLINDER TURBOCHARGED
DIRECT INJECTION GASOLINE ENGINE
WITH 7-SPEED TRANSMISSION



“The Metris is quiet and feels competent around town and on the freeway, accelerating easily in and out of traffic.”

— Los Angeles Times

- Turbocharged Direct Injection gasoline engine
- Displacement: 1,991 cc
- 208 hp @ 5,500 rpm
- Rated torque: 258 lb-ft @ 1,250–4,000 rpm
- Tank capacity: 18.49 gallons
- Battery: 12V/92Ah, alternator 14V/175A (Cargo), alternator 14V/190A (Passenger)
- Estimated combined EPA rating of 22 mpg for Cargo and Passenger¹¹

*From 2014 Mercedes-Benz Sprinter 3500 Cargo Review on Kelley Blue Book’s KBB.com. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc.



COST EFFICIENCY



We're in business to help your business.

Minimizing downtime is crucial for your business. With its award-winning residual value, Mercedes-Benz Vans keep your total cost of ownership low and your productivity high. If you spend less time and money on maintenance and more time on the road, your whole company will run more smoothly.



MERCEDES-BENZ SPRINTER

Efficient Diesel Engine⁹

With dual-stage turbocharged power, 265.5 lb-ft of torque, and diesel fuel economy, Sprinter's impressive 4-cylinder engine delivers power and durability in one compact package.




7G-TRONIC Automatic Transmission

The ultra-low first gear and two overdrive high gears in Sprinter's quick-shifting 7-speed automatic transmission and the highly fuel-efficient 4-cylinder diesel engine⁹ help you accelerate from a stop, while still saving fuel on the highway.



Up to a 20,000-Mile Service Interval¹²

Sprinter's Best-in-Class service intervals of up to 20,000 miles¹² keep you on the road, raising productivity and lowering the total cost of ownership.



Super Single

The standard Super Single tire configuration on the 3500 model provides Best-in-Class¹³ payload using a single-wheel rear axle, without sacrificing the cargo-loading capacity that is lost with the larger wheel wells of dual-wheel rear axles.



MERCEDES-BENZ METRIS

Efficient Gasoline Engine

A 208 hp 2.0L 4-cylinder turbocharged Direct Injection gasoline engine gets you up and moving quickly. At an estimated combined EPA rating of 22 mpg for Cargo and Passenger models,¹¹ the midsize Metris offers fuel consumption comparable to that of a small-size van.

7G-TRONIC Automatic Transmission

Refined for maximum efficiency and unmatched comfort, this quick-shifting 7-speed automatic transmission delivers better fuel economy, reduced noise, and longer service life.

Up to a 15,000-Mile Service Interval¹²

With an impressive service interval of up to 15,000 miles,¹² your van will spend less time in the shop and more time on the job.

Optional ECO Start/Stop

This function reduces fuel consumption and emissions by shutting off the engine when the vehicle is at a standstill, helping you lower the total cost of ownership.



SPRINTER

LET'S GET TO **WORK.**

With us, there's no difference between just doing a job and doing it right. We do a job only one way — the best we can. Our “A” game is built into every van and every configuration. With Sprinter, you'll have the technological advancements and capabilities to get the job done. But more than that, Sprinter's performance gives you the confidence to know that you're working as cost-efficiently as possible, while the innovative safety and driver-assist systems assure you that you're protected along the way.

We have a configuration to get your job done — from the impressive value of the WORKER models to the flexibility of the full lineup of Sprinter Vans. Let's get to work.



We're all in. All day.

The Sprinter Cargo Van works like you do. No hesitation. No wasted motion. The class-leading payload capacities¹³ let you design a configuration that meets your needs, while the extended length and 3500XD models increase cargo volume to give you even more ways to increase productivity.

Working fast means working smart, and the spacious rear cargo area with nearly vertical walls and a maximum standing height of 87.3" gives you all the room you need to succeed. Plus, you'll stay on the road longer with a service interval of up to 20,000 miles.¹²

If you plan on being in business for the long haul, choose a partner with the same work ethic: the Sprinter Cargo Van.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
See page 42 for a complete listing of models and specifications.

THREE ROOF HEIGHTS		
STANDARD ROOF	HIGH ROOF	SUPER HIGH ROOF
 2500: Max: 94.5" 95.5"	2500: Max: 105.9"  3500 (Dual Rear Wheel)/3500XD: Max: 107.5" 95.5"	 3500XD: Max: 115.5" 95.5"
THREE WHEELBASES		
144" WHEELBASE	170" WHEELBASE	170" EXT. WHEELBASE
 233.3"	 274.1"	 289.8"

SPRINTER CARGO QUICK FACTS

 MAXIMUM PAYLOAD: 5,507 lbs.	 MAXIMUM CARGO VOLUME: 563.6 cu. ft.
 MAXIMUM TOWING CAPACITY: 7,500 lbs. ¹⁷	 MAXIMUM CARGO FLOOR LENGTH: 193.9"
 ENGINE: 2.1L 4-cylinder turbo diesel, ⁹ optional 3.0L V6 turbo diesel ⁹	 MAXIMUM CARGO FLOOR WIDTH: 70.1" (at wheelhouse 53.1")
 TRANSMISSION: 7G-TRONIC Automatic Transmission (4-cylinder), 5-Speed Automatic Transmission (6-cylinder)	 MAXIMUM INTERIOR STANDING HEIGHT: 87.3"



SEATS

A removable rear bench seat covered in durable upholstery gives your crew a roomy, safe, and comfortable space.



CARGO CAPACITY

In addition to seating for up to five people, the Sprinter Crew Van features ample cargo space.

Pulling our weight. Every day.

When you need manpower along with horsepower, the Sprinter Crew Van can easily carry up to five people while still leaving you plenty of room to haul cargo. The 3-seat crew bench is also removable, giving you even more hauling flexibility.

The only factory crew configuration in its class, our Sprinter Crew Van features padded arm rests and tinted front side windows that will help keep your crew comfortable. We'll help keep them safe with advancements like standard Load-Adaptive Electronic Stability Program (ESP®),³ Crosswind Assist,² and available Blind Spot Assist⁴ and Highbeam Assist. And our dual-stage turbo diesel engine⁹ will get you up to speed easily – even if you're maxed out with crew and cargo.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
See page 44 for a complete listing of models and specifications.

TWO ROOF HEIGHTS			
STANDARD ROOF		HIGH ROOF	
	2500: Max: 94.3"		2500: Max: 105.7"
95.5"		95.5"	
TWO WHEELBASES			
144" WHEELBASE		170" WHEELBASE	
	233.3"		274.1"

SPRINTER CREW QUICK FACTS

 MAXIMUM PAYLOAD: 3,237 lbs.	 MAXIMUM CARGO VOLUME: 367.5 cu. ft.
 MAXIMUM TOWING CAPACITY: 5,000 lbs. ¹⁷	 MAXIMUM CARGO FLOOR LENGTH: 142.0"
 ENGINE: 2.1L 4-cylinder turbo diesel, ⁹ optional 3.0L V6 turbo diesel ⁹	 MAXIMUM INTERIOR STANDING HEIGHT: 75.4"
 TRANSMISSION: 7G-TRONIC Automatic Transmission (4-cylinder), 5-Speed Automatic Transmission (6-cylinder)	 SEATING CAPACITY: Up to five



SPRINTER PASSENGER



An impressive interior standing height of up to 6'3" provides greater passenger comfort with plenty of room to move.



"A manageable driving position and impressive handling make the Mercedes van pleasant and surprisingly maneuverable around town, while electronic aids help fight the wind gusts at speed."

– Edmunds



Crosswind Assist² can gently engage individual brakes to help quickly stabilize your Sprinter Van and boost safety in strong, gusting crosswinds. This standard feature helps ensure that your van remains in its lane at highway speeds.

Your passengers will never take a back seat.

Our philosophy here is simple: Passengers come first. The Sprinter Passenger Van's maximum 70.1" floor width means they will have plenty of room to sit, while the ergonomic, durable rear seating with generous legroom and individual headrests assures that they'll sit comfortably – up to 12 of them, in fact. And your passengers will be able to stand up straight, thanks to the interior height of up to 6'3".

The spacious rear storage area provides ample room for luggage, and once you're on the road, passengers will enjoy rear heating and air conditioning, and a level of protection only the technologically advanced Mercedes-Benz safety features can deliver. A 4-cylinder turbo diesel engine⁹ and an optional V6 turbo diesel engine⁹ will keep you operating efficiently, year after year.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
See page 45 for a complete listing of models and specifications.

TWO ROOF HEIGHTS		TWO WHEELBASES	
STANDARD ROOF	HIGH ROOF	144" WHEELBASE	170" WHEELBASE
 95.5"	 2500: Max: 100.6"	 233.3"	 274.1"
		TWO INTERIOR CONFIGURATIONS	
		CARGO LENGTHS	
		 33.7"	 74.4"

SPRINTER PASSENGER QUICK FACTS

 MAXIMUM PAYLOAD: 2,763 lbs.	 MAXIMUM CARGO VOLUME: 190.3 cu. ft.
 MAXIMUM TOWING CAPACITY: 5,000 lbs. ¹⁷	 MAXIMUM INTERIOR STANDING HEIGHT: 75.5"
 ENGINE: 2.1L 4-cylinder turbo diesel, ⁹ optional 3.0L V6 turbo diesel ⁹	 FRONT + REAR A/C = 48,000 BTU
 TRANSMISSION: 7G-TRONIC Automatic Transmission (4-cylinder), 5-Speed Automatic Transmission (6-cylinder)	 SEATING CAPACITY: Up to 12



SPRINTER

CAB CHASSIS/CUTAWAY



THE RIGHT FOUNDATION FOR YOUR NEEDS

Choose between two wheelbases (with GVWRs of 11,030 lbs.), and build the Sprinter Cab Chassis/Cutaway¹⁴ that works best for you.

Have a big idea? Bring it.

From a box truck to a technologically advanced RV, we provide you with the place to build your idea. The Sprinter Cab Chassis/Cutaway¹⁴ is your blank slate. With a flat, unobstructed frame and two available wheelbases (both featuring GVWRs of 11,030 lbs.), we’ve made certain that it’s strong enough to support your biggest plans.

The Sprinter Cab Chassis/Cutaway¹⁴ also has legendary Mercedes-Benz durability built in. The standard high-torque turbo diesel engine⁹ or the optional diesel V6⁹ have proven themselves for years. The Sprinter Cab Chassis/Cutaway¹⁴ is also compatible with a wide range of bodies. While it features a Best-in-Class payload,¹³ the rack-and-pinion steering and independent front suspension will keep you maneuvering the streets with ease as you get your idea rolling.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
See page 46 for a complete listing of models and specifications.

ONE ROOF HEIGHT		TWO WHEELBASES	
STANDARD ROOF		144" WHEELBASE	170" WHEELBASE
	3500XD: Max: 95.5"		
	95.5"	240.3"	270.2"

SPRINTER CAB CHASSIS/CUTAWAY QUICK FACTS

-  MAXIMUM PAYLOAD: 6,400 lbs.
-  MAXIMUM TOWING CAPACITY: 7,500 lbs.¹⁷
-  ENGINE: 2.1L 4-cylinder turbo diesel,⁹ optional 3.0L V6 turbo diesel⁹
-  TRANSMISSION: 7G-TRONIC Automatic Transmission (4-cylinder), 5-Speed Automatic Transmission (6-cylinder)
-  SEATING CAPACITY: Up to three



The low-range gear accommodates a wide variety of challenging road and weather conditions.



The Sprinter 4x4 option is available in select Cargo, Crew, or Passenger Van configurations.



"The addition of four-wheel drive means Mercedes now offers capability in this segment that newcomers like the Ford Transit and Ram ProMaster do not ...[and] enhances the appeal."¹⁵

– autoblog.com

To get the job done, you need to get to the job. 4x4

Don't let bad weather ruin your good reputation. We're the only manufacturer that will help you get to the job with an on-demand 4-wheel drive commercial van. The Sprinter 4x4 features higher wading depth, a low-range gear, and a standard V6 turbo diesel engine⁹ that delivers powerful torque when you need it most.

Plus, it's the only 4x4 that combines Load-Adaptive Electronic Stability Program (ESP®)³ with Electronic Traction System (4-ETS®) to help maintain stability and control by adjusting to road conditions. The Sprinter 4x4 is designed to help keep you safe and on time in challenging road and weather conditions. For other vans, this may seem like going above and beyond. For us, it just means going to work.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
A complete listing of models and specifications begins on page 42.


SPRINTER CARGO:

TWO ROOF HEIGHTS

STANDARD ROOF



HIGH ROOF



THREE WHEELBASES

144" WHEELBASE



170" WHEELBASE




170" EXT. WHEELBASE




SPRINTER CREW:

TWO ROOF HEIGHTS

STANDARD ROOF



HIGH ROOF



TWO WHEELBASES

144" WHEELBASE



170" WHEELBASE




SPRINTER PASSENGER:

TWO ROOF HEIGHTS

STANDARD ROOF



HIGH ROOF



ONE WHEELBASE

144" WHEELBASE





We work for a living.

Is there a better name for a line of vans? The Sprinter WORKER Cargo and Passenger Vans come in at a surprisingly low cost of ownership, but are ready to deliver big-time results.

The Sprinter WORKER Cargo Van can hold over 3,500 lbs. of payload and has a maximum cargo volume of 486.5 cu. ft. While the capacities are impressive, the Sprinter WORKER Cargo Van takes it a step further by letting you choose between two different wheelbase lengths and the standard 4-cylinder or available V6 turbo diesel engines.⁹ Working hard means staying on the road, and you’ll do that as well with an up to 20,000-mile service interval.¹²

Limitations in standard and optional equipment – see your dealer for details.

SPRINTER WORKER CARGO QUICK FACTS

- MAXIMUM PAYLOAD:** 3,512 lbs.
- ENGINE:** 2.1L 4-cylinder turbo diesel,⁹ optional 3.0L V6 turbo diesel⁹
- MAXIMUM CARGO VOLUME:** 486.5 cu. ft.
- MAXIMUM CARGO FLOOR LENGTH:** 178.2"
- MAXIMUM TOWING CAPACITY:** 5,000 lbs.¹⁷
- TRANSMISSION:** 7G-TRONIC Automatic Transmission (4-cylinder), 5-Speed Automatic Transmission (6-cylinder)
- MAXIMUM CARGO FLOOR WIDTH:** 70.1" (at wheelhouse 53.1")
- MAXIMUM INTERIOR STANDING HEIGHT:** 77.8"

SPRINTER WORKER CARGO

SPECIFICATIONS



Fits up to 12 people and your budget.

It’s time for a van that does more without costing more. It’s time for the Sprinter WORKER Passenger Van.

The Sprinter WORKER Passenger Van is the perfect way to keep costs down without sacrificing comfort or reliability. The low cost of ownership and 4-cylinder turbo diesel engine⁹ that saves up to 18%¹⁰ on fuel costs versus the 6-cylinder will have you operating more efficiently every day. At the same time, your passengers will be treated to 64.1" of interior standing height and 68.6 cu. ft. of cargo volume. Your daily trips will be more secure knowing that you have advanced safety features like Crosswind Assist² and Load-Adaptive Electronic Stability Program (ESP®)³ riding with you. The Sprinter WORKER Passenger Van. It’s good for you and your business.


Limitations in standard and optional equipment – see your dealer for details.

SPRINTER WORKER PASSENGER QUICK FACTS

- MAXIMUM PAYLOAD:** 2,763 lbs.
- ENGINE:** 2.1L 4-cylinder turbo diesel⁹
- MAXIMUM CARGO VOLUME:** 68.6 cu. ft.
- FRONT + REAR A/C** = 48,000 BTU
- MAXIMUM TOWING CAPACITY:** 5,000 lbs.¹⁷
- TRANSMISSION:** 7G-TRONIC Automatic Transmission
- MAXIMUM INTERIOR STANDING HEIGHT:** 64.1"
- SEATING CAPACITY:** Up to 12

SPRINTER WORKER PASSENGER

SPECIFICATIONS





METRIS

MEASURED BY RESULTS.

When it comes to working vans, bigger isn't always better. The van made for the job is better. Available as both a Passenger and Cargo van, Metris lets you carry loads or up to eight people, maneuver city streets with a 360-degree radius, and park in a tight garage. Plus, the 4-cylinder engine, 7-speed transmission, and 100,000-mile powertrain warranty, plus up to 15,000-mile service interval,¹² and available 48-volt mild-hybrid system with 40% fuel efficiency. The Metris sets a whole new standard for safety and driver assist capability for the commercial van segment with standard features like Crosswind Assist,¹³ and Adaptive Electronic Stability Program (ESP[®]),³ and ATTENTION ASSIST.^{®7} When you're ready to measure success by jobs completed, you're ready for Metris.

Only the Metris stacks up.

VS. CHEVY ASTRO CARGO VAN

THE METRIS

IS **12.6 IN.**
LONGER

HOLDS **855 LBS.**
MORE PAYLOAD

HAS **15.6 CU. FT.**
MORE CARGO VOLUME

VS. FORD TRANSIT CONNECT LWB

THE METRIS

IS **12.7 IN.**
LONGER


IS **2.4 IN.**
TALLER

HOLDS **882 LBS.**
MORE PAYLOAD


HAS **57.4 CU. FT.**
MORE CARGO VOLUME




CARGO FLOOR LENGTH




CARGO DIMENSIONS




PAYLOAD




CARGO VOLUME



TOWING CAPACITY



TURNING RADIUS





METRIS CARGO



THE RIGHT SIZE

The Metris has the payload capacity of a large van, yet still fits in industrial and home garages.



186 CUBIC FEET OF CARGO VOLUME

The Metris is spacious enough to stow over 60 sheets of 4'x8' drywall.¹⁶



REAR DOOR OPTIONS

Choose between standard 270° opening rear doors or an optional flip-up tailgate.

No wasted space.

Wasted space is wasted money. That's why virtually every inch of cargo space in the Metris Cargo Van is usable. It's all about making smart use of what you have — and having the right size with which to work. With a Best-in-Class turning radius* and a powerful, cost-efficient drivetrain, the Metris doesn't waste any effort getting to the job. You'll feel safe along the way with advanced features like Crosswind Assist,² Load-Adaptive Electronic Stability Program (ESP®),³ and ATTENTION ASSIST.^{®7} When you need to get more out of your cargo van, choose the one that delivers efficiency along with a low total cost of ownership and a Best-in-Class payload cargo capacity.*

*Based on a comparison of similarly sized and equipped commercial vans.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
See page 49 for a complete listing of models and specifications.



METRIS CARGO QUICK FACTS

 MAXIMUM PAYLOAD: 2,502 lbs.	 CARGO VOLUME: 186 cu. ft.
 TOWING CAPACITY: 5,000 lbs. ¹⁷	 TURNING RADIUS: 36.4' (curb-to-curb)
 ENGINE: 2.0L 4-cylinder turbocharged Direct Injection gasoline	 FUEL: Octane rating 91 (minimum 87)
 TRANSMISSION: 7G-TRONIC Automatic Transmission	 SEATING CAPACITY: Up to two



METRIS **PASSENGER**



AIRBAGS¹

Driver and passenger front airbags,¹ driver and front passenger side thorax airbags,¹ and window curtain airbags¹ throughout help protect every occupant.



ELECTRIC SLIDING DOORS (OPTIONAL)

Open or close the sliding door with the push of a button, for extra convenience.



SEATING CAPACITY


With two available seating configurations, you can carry up to eight people. 39.6" of headroom and plenty of legroom assure that your passengers won't just get there — they'll get there comfortably.

Treat passengers like you're one of them.

Whether you're riding or driving, it's all about how you feel in the vehicle. Take the Metris Passenger Van. It's just the right size to seat up to eight people comfortably. Add in optional features like electric sliding doors, and your passengers will have even more reasons to enjoy their journey — and you'll certainly enjoy the low cost of ownership. We went all out on safety as well, with standard technologies such as curtain airbags¹ all around, Load-Adaptive Electronic Stability Program (ESP®),³ Crosswind Assist,² and ATTENTION ASSIST.^{®7} Optional safety features include PARKTRONIC with Active Parking Assist, Blind Spot Assist,⁴ COLLISION PREVENTION ASSIST,⁶ Lane Keeping Assist,⁵ and a rearview camera.⁸

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
See page 50 for a complete listing of models and specifications.



METRIS PASSENGER QUICK FACTS

- | | |
|---|--|
| MAXIMUM PAYLOAD: 1,874 lbs. | CARGO VOLUME: 38 cu. ft. |
| TOWING CAPACITY: 5,000 lbs. ¹⁷ | SIDE ENTRANCE: Dual sliding doors (electric optional) |
| ENGINE: 2.0L 4-cylinder turbocharged Direct Injection gasoline | FUEL: Octane rating 91 (minimum 87) |
| TRANSMISSION: 7G-TRONIC Automatic Transmission | SEATING CAPACITY: Seven (optional for eight) |



Not just vans — game-changers.

When it’s time to work, Metris WORKER is the line of vans that’s as focused as you are on getting the job done. Metris WORKER Cargo and Passenger Vans will change the way you think about the value you can get from your vehicles.

Numbers don’t lie. The Metris WORKER Cargo Van’s payload, cargo volume, and horsepower prove that you can get big-time capabilities without the big-time price tag. It’s just the right size to get the job done, and its low cost of ownership and advanced safety features will keep you efficient and protected down the road. The Metris WORKER Cargo Van: all business.

Limitations in standard and optional equipment—see your dealer for details.

METRIS WORKER CARGO QUICK FACTS

MAXIMUM PAYLOAD: 2,502 lbs.	ENGINE: 2.0L 4-cylinder turbocharged Direct Injection gasoline	CARGO VOLUME: 186 cu. ft.	FUEL: Octane rating 91 (minimum 87)
TOWING CAPACITY: 5,000 lbs. ¹⁷	TRANSMISSION: 7G-TRONIC Automatic Transmission	HEAD UNIT: Audio 10 – AM/FM radio, five speakers, USB, AUX, Bluetooth®	SEATING CAPACITY: Up to two



SPECIFICATIONS



All measurements in inches. All width measurements include mirrors. See page 49 for a complete listing of models and specifications.

Comfort for your passengers.
A comfortable low cost of ownership for you.

With an efficient estimated combined EPA rating of 22 mpg,¹¹ the Metris WORKER Passenger Van starts saving on fuel costs as soon as you start driving. It continues to save you time and money down the road with an up to 15,000-mile service interval¹² and a low cost of ownership. The spacious seating area is just the right size for your passengers, giving them plenty of shoulder and legroom. Plus, the Best-in-Class turning radius* makes maneuvering through city streets a breeze. With standard safety features like Load-Adaptive Electronic Stability Program (ESP®)³ and optional features like electric sliding doors, the Metris WORKER Passenger Van makes sure no passenger takes a back seat.

*Based on a comparison of similarly sized and equipped commercial vans.
Limitations in standard and optional equipment—see your dealer for details.

METRIS WORKER PASSENGER QUICK FACTS

MAXIMUM PAYLOAD: 1,874 lbs.	ENGINE: 2.0L 4-cylinder turbocharged Direct Injection gasoline	CARGO VOLUME: 38 cu. ft.	FUEL: Octane rating 91 (minimum 87)
TOWING CAPACITY: 5,000 lbs. ¹⁷	TRANSMISSION: 7G-TRONIC Automatic Transmission	HEAD UNIT: Audio 10 – AM/FM radio, five speakers, USB, AUX, Bluetooth®	SEATING CAPACITY: Up to seven



SPECIFICATIONS



All measurements in inches. All width measurements include mirrors. See page 50 for a complete listing of models and specifications.

MASTER UPFITTER

If you can imagine it, we can make it happen.

You have a concept in mind – let a Mercedes-Benz Vans MasterUpfitter build it for you. Our job is to manufacture a van that is ready to fit your ultimate upfitting needs. With the Best-in-Class cargo volume of the Sprinter,¹³ the “right size” concept of the Metris, or the impressive 6,400 lbs. of payload on the Sprinter Cab Chassis, each Mercedes-Benz Van is a blank canvas on which you can create a design to meet your specific needs. Whether you are in need of a simple work van interior, a mobile veterinarian clinic, or the ultimate RV, Mercedes-Benz Vans is making you mobile and taking your business to new places.

Qualified Upfitters adhere to the Upfitting Guidelines to become part of the Mercedes-Benz Vans MasterUpfitter network. These masters of their trade are committed to the highest engineering standards and levels of customer satisfaction. Working with a MasterUpfitter gives you the flexibility to be creative and the assurance that Mercedes-Benz Vans is here to support your ideas.



4x4 adventure van conversion done by Sportsmobile West, Inc.



Ambulance conversion done by American Emergency Vehicles (AEV).



Aerial lift conversion done by Equipment Technology, LLC – A Palfinger Company.

MASTERUPFITTER

MASTER SOLUTIONS™

KNAPHEIDE
SINCE 1848

AUTO TRUCK
GROUP™

A turnkey route to productivity.

You’re the expert in your trade, and your van is the tool with which to get the job done. MasterSolutions¹⁸ allows you to quickly configure your van and order directly via your Mercedes-Benz Vans dealer to get you exactly the van you want right when you need it, so you can concentrate on finishing the job.

MasterSolutions providers Knapheide and Auto Truck bring you a portfolio of turnkey solutions for your vocation – anything from Sortimo or Ranger shelving to refrigeration or even transportation of people at a preferred price. These preconfigured solutions from industry-leading manufacturers are customized to fit your Mercedes-Benz Van. The ordering process is streamlined, and installation is simple: all MasterSolutions¹⁸ can be fitted directly as Ship-Thru, ensuring seamless integration, quick delivery, and consistent quality.



SHIP-THRU



Example of MasterSolution provided by **RANGER DESIGN**



Example of MasterSolution provided by **Sortimo By KNAPHEIDE**

MASTERSOLUTIONS

Through Mercedes-Benz Financial Services, we offer a variety of financing products and solutions with flexible benefits tailored specifically to meet the needs of your business.¹⁹

For more information, visit www.mbvans.com/sprinter/shopping-tools/finance-solutions

Retail Loan

These simple-interest, fixed-payment packages lock in interest rates and can include van and upfit equipment, as well as aftermarket products, in one contract.



FMV Lease

A closed-end lease agreement is also known as a “walkaway lease,” since the lessee can simply turn in the vehicle and walk away at lease maturity after meeting all contractual obligations, subject to certain return conditions and mileage restrictions.

TRAC Lease²⁰

A Terminal Rental Adjustment Clause (TRAC) lease²⁰ doesn’t require any acquisition fee, up-front payment, or excess mileage charges, and lease payments may be expensed against income. Owners are responsible for the residual value of the vehicle.



Extended Limited Warranty (ELW)²¹

We understand how vehicle downtime can impact your business. Protect one of your most valuable investments with the no-hassle convenience of a Mercedes-Benz Vans Extended Limited Warranty.²¹

The Mercedes-Benz Vans ELW²¹ offers several attractive features:

- Repairs by factory-trained technicians utilizing high-tech diagnostic equipment
- Repairs completed with Genuine Mercedes-Benz Vans Parts
- No risk to you; may be canceled at any time prior to the New Vehicle Limited Warranty expiration for a full refund
- Honored by all authorized Mercedes-Benz Vans dealerships
- No deductibles or cumbersome claims processing
- No approvals required prior to repairs

Choose the plan that fits your Sprinter and your business:

- 1 year/up to 100,000 miles
- 2 years/up to 125,000 miles
- 3 years/up to 150,000 miles
- 4 years/up to 175,000 miles

Choose the plan that fits your Metris and your business:

- 1 year/up to 75,000 miles
- 2 years/up to 90,000 miles
- 3 years/up to 105,000 miles
- 4 years/up to 120,000 miles

Prepaid Maintenance

Save time and money by prepaying for routine services. Simply pay for your Mercedes-Benz Van maintenance in advance and reduce the risk of unexpected cost increases for service down the road.

Prepaid Maintenance helps you and your business in many ways:

- Save money — up to 30%²² — on routine maintenance costs, including parts, labor, and taxes
- Lock in costs for required services and protect against cost increases for parts and service
- Service is performed according to factory standards and specifications by factory-trained technicians at any authorized Mercedes-Benz Vans dealer using Genuine Mercedes-Benz Parts
- Select the plan that meets your driving needs
- Choose from flexible payment options — prepay the full amount or build the cost into your monthly payment
- Plan is transferable to subsequent Mercedes-Benz Van owner
- Purchase your plan at any time up to the first service or 15,000 miles (Metris)¹²/20,000 miles (Sprinter),¹² whichever comes first

Choose the Sprinter plan that’s best for you:

- Two services or up to 40,000 miles
- Four services or up to 80,000 miles
- Six services or up to 120,000 miles
- Eight services or up to 160,000 miles

Can be purchased with or without AdBlue® (an environmentally friendly exhaust gas cleaning system).

Choose the Metris plan that’s best for you:

- Two services or up to 30,000 miles
- Four services or up to 60,000 miles
- Six services or up to 90,000 miles
- Eight services or up to 120,000 miles

Roadside Assistance²³

All Mercedes-Benz Vans come standard with our 24-hour Roadside Assistance Program²³ and expert advice 24/7 through the Mercedes-Benz Customer Assistance Center, providing you peace of mind and help when you need it most.



SPRINTER SPECIFICATIONS (Applies to all Sprinter models)



POWERTRAINS		ENGINE OPTIONS	
	2.1L 4-cylinder diesel ⁹	3.0L V6 diesel ⁹	
Configuration	DOHC	DOHC	
Fuel injection	Direct	Direct	
Induction system	Commonrail Direct Injection (CDI)	Commonrail Direct Injection (CDI)	
Cylinders	Four	Six	
Cylinder heads	Aluminum	Aluminum	
Block material	Aluminum	Aluminum	
Bore/stroke	83.0mm/99.0mm	83.0mm/92.0mm	
Compression ratio	16.2:1	18.0:1	
Transmission	7G-TRONIC Automatic	5-speed automatic	
Horsepower @ rpm	161 hp @ 3,800 rpm	188 hp @ 3,800 rpm	
Torque lb-ft @ rpm	265.5 lb-ft @ 1,400–2,400 rpm	325 lb-ft @ 1,400–2,400 rpm	
Recommended fuel	B5	B5	
Fuel tank capacity	24.5 gal	24.5 gal	
Fuel tank capacity (Cab Chassis/Cutaway) ¹⁴	26.4 gal	26.4 gal	

STANDARD FEATURES

MECHANICAL	
4-cylinder only	
• 7G-TRONIC Automatic Transmission, 7-speed	
• Battery: AGM 12V/95Ah, alternator 14V/200A (Cargo), AGM 12V/95Ah, alternator 14V/250A (Passenger)	
• ECO power steering pump	
• Engine: 2.1L 4-cylinder turbo diesel engine ⁹	
6-cylinder only	
• 5-speed automatic transmission	
• Battery: 12V/100Ah, alternator 14V/220A (Cargo), AGM 12V/95Ah, alternator 14V/220A (Passenger)	
• Engine: 3.0L V6 turbo diesel engine ⁹	
SEATING	
• Adjustable driver seat	
• Adjustable front passenger seat	

INTERIOR	
• 12V outlet, front	
• Adjustable steering wheel (tilt & telescope)	
• Air conditioning, front	
• Audio 15 – AM/FM radio, USB, AUX, Bluetooth®, 5.8" color screen*	
• Cupholder, front	
• Heat-insulating glass	
• Interior lights, cargo compartment (only on Cargo Vans)	

EXTERIOR	
• 3rd brake light*****	
• All-season tires	
• Body Builder Connector*	
• Daytime driving lights	
• Front mud flaps	

SAFETY & SECURITY	
• Airbag, driver front ¹	
• Airbag, passenger front ¹	
• Airbag, driver/passenger thorax ¹ ****	
• Airbag, driver/passenger window ¹ ****	

*Optional on WORKER models.
**Optional on WORKER models and 3500XD Cab Chassis/Cutaway.
***Not available on 3500XD models.
****Optional on 3500XD models.
*****Not available on 3500XD Cab Chassis/Cutaway.



SPRINTER CARGO: 2500, 3500, 3500XD, WORKER

STANDARD FEATURES	2500	3500	3500XD	WORKER
Some options are standard on select models				
MECHANICAL				
4x4 – high range t-case with low gear (4x4 only)	×		×	
Axle ratio 3.92	×		×	
Axle ratio 4.18		×		
Rear spring for 8,550 lbs. GVWR	×		×	
Shock absorbers reinforced (not available in 4x4)	×		×	

OPTIONAL FEATURES

MECHANICAL				
Additional bar for driveshaft & exhaust extension	×	×	×	
Axle ratio 3.92 (6-cylinder only)		×	×	
Axle ratio 4.18 (not available in 4x4)	×			
Axle ratio 4.36 (4-cylinder only)		×	×	
Cruise control	×	×	×	
Front axle, reinforced (not available in 4x4)		×	×	
Front engine bracket for additional alternator	×	×	×	
Front engine bracket for auxiliary A/C compressor	×	×	×	

SEATING				
Comfort driver/passenger seat	×	×	×	
Heavy-duty driver seat		×	×	
Heated driver/front passenger seat	×	×	×	

EXTERIOR				
2nd row, fixed window, driver side/passenger side	×	×	×	
Black tinting (80%) for rear windows	×	×	×	
Bumper step, rear, gray	×	×	×	
Bumper step, rear, spring-loaded	×	×	×	
Bumpers front/rear, primed	×	×	×	
Chrome-trimmed radiator grille	×	×	×	
DEF fluid filler cap – lockable	×	×	×	
Door sill – protective edge	×	×	×	
Electrically heated windshield	×	×	×	
Electric sliding step	×	×	×	
Fixed sunroof (rear roof section)	×	×	×	
Fog lamps	×	×	×	
Front license plate deletion	×	×	×	
Headlamp washing system	×	×	×	
Heated & electrically adjustable exterior mirrors	×	×	×	
Heated rear window(s) with washers/wipers	×	×	×	
High roof	×	×	×	
M+S winter tires (not available in 4x4)	×	×	×	
“Model” badge, right rear door deletion	×	×	×	

OPTIONAL PACKAGES

Active Safety Plus Package	×	×	×	
Active Safety Plus Package with PARKTRONIC	×	×	×	
Additional Battery Package	×	×	×	
Cargo Protection Package	×	×	×	
Convenience Package			×	
Driver Comfort Package	×	×	×	

FLEET PACKAGES

Ambulance Prep Package – Cargo Van ¹	×			
Crew Cab Package		×	×	
Heavy Duty Front Axle Package		×	×	
High Idle Variable Package	×	×	×	
High Performance Air Conditioning Package	×	×	×	

¹This will result in an incomplete vehicle; Upfitter is final stage manufacturer.

2500	3500	3500XD	WORKER
INTERIOR			
Pre-installation partition			×
Rear door, opening 270°	×	×	×
Rear door, opening 180°			×
Wood floor with six D-rings ²⁴	×	×	×

SAFETY & SECURITY			
Airbag, driver/passenger thorax ¹			×
Airbag, driver/passenger window ¹			×
Airbag, driver thorax ¹			×
Backup alarm	×	×	×
Downhill Speed Regulation (DSR) for 4x4	×	×	×
First aid kit & emergency flashlight	×	×	×

INTERIOR			
12V power outlet, driver seat base	×	×	×
12V power outlet, rear compartment	×	×	×
Assist handle, B-pillar	×	×	×
Assist handle, left rear door	×	×	×
Assist handle, right rear door	×	×	×
Assist handle with partition	×	×	×
Audio 10	×	×	×
Becker® MAP PILOT® Navigation System ²⁵	×	×	×
Cab rear wall liner	×	×	×
Cargo lashing rails, head height ²⁴	×	×	×
Cargo lashing rails, waist height ²⁴	×	×	×
Cargo partition	×	×	×
Cargo partition with one sliding window	×	×	×
Cargo partition with one window	×	×	×
Cargo straps, D-rings ²⁴	×	×	×
Cargo straps, lashing rails ²⁴	×	×	×
Ceiling lights, LED, rear compartment	×	×	×
Convenience lighting in load/pass. compartments	×	×	×
Deactivation lamp monitoring failure	×	×	×
Door-mounted assist handles, driver & passenger	×	×	×
Fuel-fired heater booster (17,000 BTU)	×	×	×
Fuel-fired pre-heater/booster (17,000 BTU)	×	×	×
Fuel gauge, optimized for aux. fuel tap	×	×	×
Half height load compartment trim	×	×	×
Heat insulation, front compartment	×	×	×
Heat insulation, rear compartment	×	×	×

Lighting Package	×	×	×
Multifunction Wheel/Display Package	×	×	×
Overtime Package			×
Premium Appearance Package	×		
Super Single tires		×	

Suspension Seating Package ¹			×
Swivel Seat Package		×	×
Upfitter Prep Package ¹		×	×
Wide Step Bumper Package		×	×
Window Fleet Package ¹		×	×

SPRINTER CARGO: 2500, 3500, 3500XD, WORKER (continued)



TECHNICAL SPECIFICATIONS: 2500 CARGO & WORKER

	Regular (2500 & WORKER)				Long (2500 & WORKER)		Long Extended (2500)	
Roof height	Standard Roof	Standard Roof 4x4*	High Roof	High Roof 4x4*	High Roof	High Roof 4x4*	High Roof*	High Roof 4x4*
Passenger capacity	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**
Rows of seats	One	One	One	One	One	One	One	One

EXTERIOR								
Wheelbase	144"	144"	144"	144"	170"	170"	170"	170"
Length	233.3"	233.3"	233.3"	233.3"	274.1"	274.1"	289.8"	289.8"
Height	94.5"	97.2"	105.9"	108.6"	105.8"	108.4"	105.7"	108"
Width – excluding mirrors	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	68"	68"	68"	68"	68"	68"	68"	68"
Rear track	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"
Front overhang	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	48.8"	48.8"	48.8"	48.8"	63.6"	63.6"	79.3"	79.3"
Load height, unloaded (ground to cargo floor)	27.9"	30.5"	27.8"	30.4"	27.5"	30"	27.3"	29.7"
Load height, loaded (ground to cargo floor)	23.5"	25.9"	23.5"	25.9"	23.5"	26"	23.4"	25.8"
Side-door opening height	59.8"	59.8"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"
Side-door opening width – sliding	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"
Rear cargo door opening height	60.6"	60.6"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"
Rear cargo door opening width	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"
Turning radius (curb-to-curb)	44.6'	44.6'	44.6'	44.6'	51.5'	51.5'	51.5'	51.5'

INTERIOR								
Headroom	47.1"	47.1"	56.7"	56.7"	56.7"	56.7"	56.7"	56.7"
Shoulder room	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"
Hip room	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	137.4"	137.4"	137.4"	137.4"	178.2"	178.2"	193.9"	193.9"
Cargo length, front (at belt)	130.7"	130.7"	130.7"	130.7"	171.4"	171.4"	187.2"	187.2"
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"
Cargo height, maximum (with trim)	64"	64"	75.4"	75.4"	75.4"	75.4"	75.4"	75.4"
Cargo height, maximum (without trim)	66.5"	66.5"	77.8"	77.8"	77.8"	77.8"	77.8"	77.8"
Maximum floor width	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"

CARGO CAPACITY								
Cargo volume cu. ft. (behind last row of seats)	319.1	319.1	373.7	373.7	486.5	486.5	530	530
Maximum roof load (lbs.)	660	660	330	330	330	330	330	330

MAXIMUM CAPABILITIES								
Payload lbs. (4-cylinder)	3,512	3,215	3,446	3,160	3,116	2,807	2,994	2,686
Maximum towing (lbs.) ¹⁷	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000
GVWR (lbs.)	8,550	8,550	8,550	8,550	8,550	8,550	8,550	8,550
Maximum loaded trailer weight ratings (lbs.)	13,550	13,550	13,550	13,550	13,550	13,550	13,550	13,550

*Not available for WORKER models.
**Optional equipment required.

TECHNICAL SPECIFICATIONS: SPRINTER 3500 CARGO & 3500XD

	Regular (3500)		Regular (3500XD)		Long (3500)		Long (3500XD)			Long Extended (3500)		Long Extended (3500XD)		
Roof height	HR + Dual Rear Wheel	HR + Super Single Rear Tires	High Roof XD	High Roof 4x4 XD	HR + Dual Rear Wheel Tires	HR + Super Single Rear Tires	High Roof XD	High Roof 4x4 XD	Super High Roof XD	HR + Dual Rear Wheel Tires	HR + Super Single Rear Tires	High Roof XD	High Roof 4x4 XD	Super High Roof XD
Passenger capacity	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**
Row of seats	One	One	One	One	One	One	One	One	One	One	One	One	One	One

EXTERIOR														
Wheelbase	144"	144"	144"	144"	170"	170"	170"	170"	170"	170"	170"	170"	170"	170"
Length	233.3"	233.3"	233.3"	233.3"	274.1"	274.1"	274.1"	274.1"	274.1"	289.8"	289.8"	289.8"	289.8"	289.8"
Height	107.3"	107.5"	107.3"	108.5"	107.0"	107.3"	107.0"	108.4"	115.5"	106.8"	107.2"	106.8"	108.1"	115.4"
Width – excluding mirrors	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	-	67.2"	67.2"	67.2"	67.2"	-
Rear track	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	-	60.9"	60.9"	60.9"	60.9"	-
Front overhang	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	48.8"	48.8"	48.8"	48.8"	63.6"	63.6"	63.6"	63.6"	63.6"	79.3"	79.3"	79.3"	79.3"	79.3"
Load height, unloaded (ground to cargo floor)	29.3"	29.6"	29.3"	30.4"	28.7"	29"	28.7"	30.0"	29.0"	28.5"	28.8"	28.5"	29.8"	28.8"
Load height, loaded (ground to cargo floor)	24.4"	24.7"	24.4"	25.6"	24.4"	24.7"	24.4"	25.7"	24.7"	24.4"	24.7"	24.4"	25.5"	24.7"
Side-door opening height	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"
Side-door opening width – sliding	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"
Rear cargo door opening height	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"
Rear cargo door opening width	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"
Turning radius (curb-to-curb)	44.6'	44.6'	44.6'	44.6'	51.5'	51.5'	51.5'	51.5'	51.5'	51.5'	51.5'	51.5'	51.5'	51.5'

INTERIOR														
Headroom	56.7"	56.7"	56.7"	56.7"	56.7"	56.7"	56.7"	56.7"	47.1"	56.7"	56.7"	56.7"	56.7"	47.1"
Shoulder room	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"
Hip room	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	137.4"	137.4"	137.4"	137.4"	178.2"	178.2"	178.2"	178.2"	178.2"	193.9"	193.9"	193.9"	193.9"	193.9"
Cargo length, front (at belt)	130.7"	130.7"	130.7"	130.7"	171.4"	171.4"	171.4"	171.4"	171.4"	187.2"	187.2"	187.2"	187.2"	187.2"
Cargo width between wheelhouses	38.5"	48.3"	38.5"	38.5"	38.5"	48.3"	38.5"	38.5"	38.5"	38.5"	48.3"	38.5"	38.5"	38.5"
Cargo height, maximum (with trim)	75.4"	75.4"	75.4"	75.4"	75.4"	75.4"	75.4"	75.4"	-	75.4"	75.4"	75.4"	75.4"	-
Cargo height, maximum (without trim)	77.8"	77.8"	77.8"	77.8"	77.8"	77.8"	77.8"	77.8"	87.3"	77.8"	77.8"	77.8"	77.8"	87.3"
Maximum floor width	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"

CARGO CAPACITY														
Cargo volume cu. ft. (behind last row of seats)	329.3	359.4	329.3	329.3	428.7	467.8	428.7	428.7	474	467	509.7	467	467	563.6
Maximum roof load (lbs.)	330	330	330	330	330	330	330	330	-	330	330	330	330	-

MAXIMUM CAPABILITIES														
Payload lbs. (4-cylinder)	4,456	4,556	5,507	5,199	4,082	4,170	5,133	4,813	4,353	3,916	4,004	4,967	4,648	4,188
Maximum towing (lbs.) ¹⁷	7,500	7,500	7,500	7,500	7,500	7,500	7,500	7,500	7,500	5,000	5,000	5,000	5,000	5,000
GVWR (lbs.)	9,990	9,990	11,030	11,030	9,990	9,990	11,030	11,030	11,030	9,990	9,990	11,030	11,030	11,030
Maximum loaded trailer weight ratings	15,250	15,250	15,250	15,250	15,250	15,250	15,250	15,250	15,250	14,990	15,140	15,250	15,250	15,140

**Optional equipment required.

SPRINTER CREW

STANDARD FEATURES

MECHANICAL		
- Axle ratio 3.92 - Shock absorbers reinforced (not available in 4x4)	Stabilizer, rear axle, underframe	Stabilizer reinforced at front axle
SEATING/INTERIOR		
2nd row, fixed window, driver side 2nd row seating for three people 3-point seat belts in 2nd row - Arm rest, rear seat left - Arm rest, rear seat right - Black tinting (80%) for rear windows	- Floor anchors for rear seat bench - Partition omission - Protective strip, entrance - Rear compartment headliner - Rear doors, opening 270°	- Rear seats, 1st row, three seats, narrow - Sidewall paneling, hardboard - Sidewall paneling, PVC, waist height - Storage compartment with net in rear doors - Windows in tailgate/rear doors

OPTIONAL FEATURES

MECHANICAL		
- Addt. bar for driveshaft & exhaust extension - Axle ratio 4.18 (not available for 4x4) - Cruise control - Front engine bracket for addt. alternator	- Front engine bracket for auxiliary A/C compressor - Generator 14V/250A (4-cylinder only) - Parametric Special Module (PSM) - PARKTRONIC System (PTS)	- Rear spring vibration absorbers - SULEV emissions (4-cylinder only) - Suspension with heavy-duty front/rear stabilizer (not available for 4x4)
SEATING		
Comfort driver & passenger seat	Heated driver & front passenger seat	Orange seat belts, driver & front passenger
INTERIOR		
12V power outlet, driver seat base 12V power outlet, rear compartment - Assist handle, left rear door - Assist handle, right rear door - Audio 10 - Becker® MAP PILOT® Navigation System²⁵ - Cargo straps, D-rings²⁴ - Door-mounted assist handles, driver & pass. - Fuel-fired heater booster (17,000 BTU) - Fuel-fired pre-heater/booster (17,000 BTU) - Heat insulation, front compartment	- Heat insulation, rear compartment - Hinged lid for storage compartment - Illuminated front exits - Keys, two additional master - Leather steering wheel - Light & rain sensor - Optional 3-button keys - Overhead control panel with two reading lights - Overhead storage slot, front center - Pre-installation Becker® MAP PILOT® Navigation System²⁵	- Pre-installation for radio - Pre-wiring, rearview camera^a - Rear heater prep - Remote control for auxiliary heater - Sealing of speedometer drive - Sliding door, two-stage opening - Storage net, driver seat backrest - Storage net, passenger seat backrest - Windows, rear-door with washers/wipers

EXTERIOR		
- Bumper step, rear, gray - Bumper step, rear, spring-loaded - Bumpers, front/rear, primed - Chrome-trimmed radiator grille - DEF fluid filler cap – lockable - Electric sliding step - Electrically heated windshield - Fog lamps - Front license plate deletion	- Headlamp washing system - Heated & electrically adjustable exterior mirrors - High roof - Light-alloy wheels, 6.5 J x 16 - M+S winter tires (not available for 4x4) - Mounting rails for roof rack - Painted metallic front & rear bumper - Primed side moldings	- Rims painted Arctic White - Rims painted Jet Black - Spare tire carrier deletion - Spare wheel deletion - Sprinter badge, rear-door deletion - Tires, Continental VancoFourSeason (M+S) - Trailer hitch preparation wiring - Windshield with filter band

SAFETY & SECURITY		
- Backup alarm - Downhill Speed Regulation (DSR) (available for 4x4 only)	- Emergency flashlight - First aid kit - Rearview camera^a	- Security alarm with interior motion sensor - Speed limitation, 65 mph - Speed limitation, 75 mph

OPTIONAL PACKAGES

- Active Safety Plus Package - Active Safety Plus Package with PARKTRONIC - Additional Battery Package - Driver Comfort Package	- Driver Efficiency Package - High Idle Fixed Package - Lighting Package - Multifunction Wheel/Display Package	- Premium Appearance Package - Trailer Hitch Package
---	--	--

FLEET PACKAGES

High Idle Variable Package	High Performance Air Conditioning Package	Wide Step Bumper Package
--	---	--



TECHNICAL SPECIFICATIONS

	Regular				Long	
Roof height	Standard Roof	Standard Roof 4x4	High Roof	High Roof 4x4	High Roof	High Roof 4x4
Passenger capacity	Five	Five	Five	Five	Five	Five
Rows of seats	Two	Two	Two	Two	Two	Two

EXTERIOR						
Wheelbase	144"	144"	144"	144"	170"	170"
Length	233.3"	233.3"	233.3"	233.3"	274.1"	274.1"
Height	94.3"	97.0"	105.7"	108.3"	105.5"	108.0"
Width – excluding mirrors	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	68"	68"	68"	68"	68"	68"
Rear track	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"
Front overhang	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	48.8"	48.8"	48.8"	48.8"	63.6"	63.6"
Load height, unloaded (ground to cargo floor)	27.6"	30.3"	27.6"	30.2"	27.2"	29.7"
Load height, loaded (ground to cargo floor)	23.5"	25.9"	23.5"	25.9"	23.5"	26"
Side-door opening height	59.8"	59.8"	71.7"	71.7"	71.7"	71.7"
Side-door opening width – sliding	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"
Rear cargo door opening height	60.6"	60.6"	72.4"	72.4"	72.4"	72.4"
Rear cargo door opening width	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"
Turning radius (curb-to-curb)	44.6'	44.6'	44.6'	44.6'	51.5'	51.5'

INTERIOR						
Headroom (1st/2nd rows)	47.1"/50"		56.7"/61.4"			
Shoulder room (1st/2nd rows)	67.7"/70.2"					
Hip room (1st/2nd rows)	63.5"/70.2"					
Legroom (1st/2nd rows)	38.9"/39.1"					
Passenger volume cu. ft. (1st/2nd rows)	71.9/79.5		86.5/97.6			
Cargo length, front (at floor)	101.2"	101.2"	101.2"	101.2"	142"	142"
Cargo length, front (at belt)	92.9"	92.9"	92.9"	92.9"	133.7"	133.7"
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"
Cargo height, maximum (with trim)	64.0"	64.0"	75.4"	75.4"	75.4"	75.4"

CARGO CAPACITY						
Cargo volume cu. ft. (behind last row of seats)	220.1	220.1	259.4	259.4	367.5	367.5
Maximum roof load (lbs.)	660	660	330	330	330	330

MAXIMUM CAPABILITIES						
Payload lbs. (4-cylinder)	3,237	2,983	3,171	2,917	2,796	2,542
Maximum towing (lbs.) ¹⁷	5,000	5,000	5,000	5,000	5,000	5,000
GVWR (lbs.)	8,550	8,550	8,550	8,550	8,550	8,550
Maximum loaded trailer weight ratings (lbs.)	13,550	13,550	13,550	13,550	13,550	13,550

SPRINTER PASSENGER: 2500 & WORKER

STANDARD FEATURES

MECHANICAL		
- Axle ratio 3.92 - Rear spring vibration damper	- Stabilizer, rear axle, underframe - Stabilizer reinforced at front axle	Suspension with heavy-duty front/rear stabilizers
SEATING		
2nd row seating for three people 3-point seat belts in all rows 3rd row seating for three people	4th row seating for four people - Floor anchors for rear-seat bench - Luxury interior trim	- Seat arm rest, rear seats, left* - Seat arm rest, rear seats, right* - Storage compartment with net in rear doors

INTERIOR		
12V power outlet in rear compartment* - Air conditioning, rear, roof-mounted - Audio system speakers, eight rear - Coat hooks* - Convenience lighting in load/passenger compartments*	- Cupholders, two, center console* - Defroster rear window - Fixed window, center, left & right - Fixed window, rear, left & right - Heat insulation, front compartment - Heat insulation, rear compartment	- Illuminated front exits* - Storage net, driver & passenger backrest* - Weight-optimized plastic floor - Wheelhouse covering

EXTERIOR		
Additional bar for driveshaft & exhaust extension	- Black tinting (80%) for rear windows - Rear doors, opening 270°*	Windows in rear doors

OPTIONAL FEATURES**

MECHANICAL		
- Axle ratio 4.18 (not available for 4x4) - Cruise control	- Parametric Special Module (PSM) - PARKTRONIC System (PTS)	SULEV emissions (4-cylinder only)
SEATING		
Comfort driver & passenger seat	Heated driver & front passenger seat	Orange seat belts, driver & front passenger
INTERIOR		
12V power outlet, driver seat base - Assist handle, left rear door - Assist handle, right rear door - Audio 10 - Becker® MAP PILOT® Navigation System²⁵ - Door-mounted assist handles, driver & passenger - Headlamp washing system	- High idle preset - Hinged lid for storage compartment - Keys, two additional master - Leather steering wheel - Light & rain sensor - Optional 3-button keys - Overhead control panel with two reading lights	- Overhead storage slot, front center - Pre-installation Becker® MAP PILOT® Navigation System²⁵ - Pre-installation for radio - Sealing of speedometer drive - Sliding door, two-stage opening

EXTERIOR		
- Bumper step, rear, gray - Bumpers, front/rear, primed - Chrome-trimmed radiator grille - DEF Fluid Filler Cap – lockable - Electrically heated windshield - Electric sliding step - Fog lamps - Front license plate deletion	- Heated & electrically adjustable exterior mirrors - Heated rear window(s) with washers/wipers - High roof - Light-alloy wheels, 6.5 J x 16 - M+S winter tires (not available for 4x4) "Model" badge, rear door deletion - Mounting rails for roof rack	- Painted metallic front & rear bumpers - Primed side moldings - Rims painted Arctic White - Rims painted Jet Black - Sprinter badge, rear door deletion - Tires, Continental VancoFourSeason (M+S) - Trailer hitch prep wiring - Windshield with filter band

SAFETY & SECURITY		
- Backup alarm - Downhill Speed Regulation (DSR) (available for 4x4 only)	- Emergency flashlight - First aid kit - Rearview camera^a	- Security alarm with interior motion sensor - Speed limitation, 65 mph - Speed limitation, 75 mph

OPTIONAL PACKAGES

- Active Safety Plus Package - Active Safety Plus Package with PARKTRONIC - Additional Battery Package - Driver Comfort Package	- Driver Efficiency Package - High Idle Fixed Package - Lighting Package - Multifunction Wheel/Display Package	- Passenger Van Heating Package 1 - Passenger Van Heating Package 2 - Premium Appearance Package - Trailer Hitch Package
---	--	--

WORKER MODEL

Convenience Package	Overtime Package
---	--



TECHNICAL SPECIFICATIONS

	Regular				Long	Regular (WORKER)
Roof height	Standard Roof	Standard Roof 4x4	High Roof	High Roof 4x4	High Roof	Standard Roof
Passenger capacity	12	12	12	12	12	12
Rows of seats	Four	Four	Four	Four	Four	Four

EXTERIOR						
Wheelbase	144"	144"	144"	144"	170"	144"
Length	233.3"	233.3"	233.3"	233.3"	274.1"	233.3"
Height	100.6"	103.2"	110.5"	113.5"	110"	100.6"
Width – excluding mirrors	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	68"	68"	68"	68"	68"	68"
Rear track	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"
Front overhang	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	48.8"	48.8"	48.8"	48.8"	63.6"	48.8"
Load height, unloaded (ground to cargo floor)	27.1"	29.7"	27.0"	29.5"	26.7"	27.1"
Load height, loaded (ground to cargo floor)	23.5"	25.9"	23.5"	25.9"	23.5"	23.5"
Side-door opening height	59.8"	59.8"	71.7"	71.7"	71.7"	59.8"
Side-door opening width – sliding	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"
Rear cargo door opening height	60.6"	60.6"	72.4"	72.4"	72.4"	60.6"
Rear cargo door opening width	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"
Turning radius (curb-to-curb)	44.6'	44.6'	44.6'	44.6'	51.5'	44.6'

INTERIOR						
Headroom (1st/2nd/3rd/4th rows)	47.1"/47.2"/ 48.2"/49.9"	47.1"/50"/ 50"/49.9"	56.7"/58.8"/59.7"/60.6"			47.1"/47.2"/ 48.2"/49.9"
Shoulder room (1st/2nd/3rd/4th rows)	67.7"/70.1"/68.6"/70"					
Hip room (1st/2nd/3rd/4th rows)	63.5"/69.9"/68.5"/69.9"					
Legroom (1st/2nd/3rd/4th rows)	38.9"/39.1"/40.1"/40.1"					
Passenger volume cu. ft. (1st/2nd/3rd/4th rows)	71.9/75/ 76.7/81	71.9/79.5/ 79.6/81	86.5/93.3/95/98.4			71.9/75/ 76.7/81
Cargo length, front (at floor)	33.7"	33.7"	33.7"	33.7"	74.4"	33.7"
Cargo length, front (at belt)	25.7"	25.7"	25.7"	25.7"	66.4"	25.7"
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"
Cargo height, maximum (with trim)	64.1"	64.1"	75.5"	75.5"	75.5"	64.1"

CARGO CAPACITY						
Cargo volume cu. ft. (behind last row of seats)	68.6	68.6	80.8	80.8	190.3	68.6
Maximum roof load (lbs.)	660	660	330	330	330	660

MAXIMUM CAPABILITIES						
Payload lbs. (4-cylinder)	2,763	2,520	2,697	2,443	2,322	2,763
Maximum towing (lbs.) ¹⁷	5,000	5,000	5,000	5,000	5,000	5,000
GVWR (lbs.)	8,550	8,550	8,550	8,550	8,550	8,550
Maximum loaded trailer weight ratings (lbs.)	13,550	13,550	13,550	13,550	13,550	13,550

*Not available for WORKER models.
**Standalone optional features not available for WORKER models.

SPRINTER CAB CHASSIS/CUTAWAY¹⁴

STANDARD FEATURES

MECHANICAL		
• Axle ratio 4.18	• Parametric Special Module (PSM)	• Stabilizer reinforced at front axle
• Clearance lights, pre-wiring	• Stabilizer, rear axle, underframe	• Suspension with front & rear stabilizers

EXTERIOR

• Exterior mirror extended (96")	• Parking lights deletion	• Tires LT 215/85 R16
• Identification lamps	• Provisional spare wheel bracket, frame-mounted	

OPTIONAL FEATURES

MECHANICAL		
• Axle ratio 4.36 (4-cylinder only)	• Front axle, reinforced (6-cylinder only)	• Front engine bracket for auxiliary A/C compressor
• Axle ratio 3.92 (6-cylinder only)	• Front engine bracket for additional alternator	• Parametric Special Module (PSM)
• Cruise control		• SULEV emissions (4-cylinder only)

SEATING

• Comfort driver & passenger seat	• Heavy-duty driver seat	• Orange seat belts, driver & passenger
• Heated driver & passenger seat		

INTERIOR

• 12V power outlet, driver seat base	• Headlamp washing system	• Overhead storage slot, front center
• Audio 10	• Heat insulation, front compartment	• Pre-installation Becker® MAP PILOT® Navigation System ²⁵
• Becker® MAP PILOT® Navigation System ²⁵	• Hinged lid for storage compartment	• Pre-installation for radio
• Cab rear wall liner	• Illuminated front exits	• Pre-wiring, rearview camera ⁸
• Door-mounted assist handles, driver & passenger	• Interior rearview mirror	• Remote control for auxiliary heater
• Electrical pre-installation for load compartment lighting	• Keys, two additional master	• Sealing of speedometer drive
• Fuel-fired heater booster (17,000 BTU)	• Leather steering wheel	
• Fuel gauge, optimized for aux. fuel tap	• Light & rain sensor	
	• Overhead control panel with two reading lights	

EXTERIOR

• 3rd brake light pre-wiring	• Heated & electrically adjustable exterior mirrors	• Spare wheel bracket below frame
• Bumpers, front/rear, primed	• M+S winter tires	• Spare wheel deletion
• Chrome-trimmed radiator grille	• "Model" badge, rear deletion	• Taillamp deletion
• Clearance lights pre-wiring	• Primed side moldings	• Trailer hitch prep wiring
• DEF fluid filler cap – lockable	• Raised rear body mounts (6-cylinder only)	• Wheel chocks
• Electrically heated windshield	• Rims painted Arctic White	• Windshield with filter band
• End crossmember, bolted	• Rims painted Jet Black	• Wire harness taillamp with extended wiring
• Fog lamps	• Spare tire carrier deletion	• Wiring for additional turn signals
• Front license plate deletion		

SAFETY & SECURITY

• Airbag, driver/passenger thorax ¹	• Emergency flashlight	• Security alarm with interior motion sensor
• Airbag, driver/passenger window ¹	• First aid kit	• Speed limitation, 65 mph
• Backup alarm	• Lane Keeping Assist ⁶ deletion	• Speed limitation, 75 mph

OPTIONAL PACKAGES

• Active Safety Plus Package	• Heavy Duty Front Axle Package	• Suspension Package I
• Additional Battery Package	• High Idle Fixed Package	• Suspension Package II
• Driver Comfort Package	• Lighting Package	• Suspension Package IV
• Driver Efficiency Package	• Multifunction Wheel/Display Package	• Trailer Hitch Package
• Front Bench Seat Package	• Rear Wall Deletion Cutaway	• Window & Mirror Package

FLEET PACKAGES

• Ambulance Prep Package – Cab Chassis/Cutaway ¹⁴	• Lowered Roof Cutaway	• Swivel Seat Package
• High Idle Variable Package	• Suspension Seating Package	

TECHNICAL SPECIFICATIONS

	Regular (3500XD)	Long (3500XD)
Passenger capacity	Up to three*	Up to three*
Rows of seats	One	One

CUTAWAY

Wheelbase	144"	170"
Overall length	240.3"	270.2"
Height	95.5"	95.1"
Width – excluding mirrors	79.7"	79.7"
Width – including mirrors	95.5"	95.5"
Cab length	99.3"	99.3"
Front overhang	40.2"	40.2"
Rear overhang (rear axle to end of frame)	55.8"	59.7"
Top of frame to top of cab	64.1"	64.1"
Frame height, loaded	33.6"	33.6"
Turning radius (curb-to-curb)	44.6'	51.5'

CAB CHASSIS

Overall length	155.2"	194.2"
Rear axle to end of frame or rear overhang	72"	85"
Rear of cab to rear axle	85.2"	111.2"
Front overhang	40.2"	40.2"
Cab length	99.3"	99.3"
Overall cab height	95.5"	95.1"
Top of frame to top of cab	64.1"	64.1"
Frame height, loaded	33.6"	33.6"
Maximum body width	96"	96"
Front track	67.2"	67.2"
Rear track	60.9"	60.9"
Turning radius (curb-to-curb)	44.6'	51.5'

INTERIOR – CAB CHASSIS/CUTAWAY¹⁴

Headroom	47.1"	47.1"
Shoulder room	67.7"	67.7"
Hip room	63.5"	63.5"
Legroom	38.9"	38.9"

MAXIMUM CAPABILITIES**

Payload lbs. (4-cylinder)	6,400	6,312
Maximum towing (lbs.) ¹⁷	7,500	7,500
GVWR (lbs.)	11,030	11,030
Maximum loaded trailer weight ratings (lbs.)	15,250	15,250

* Optional equipment required.
**All payloads shown are for Cab Chassis/Cutaway¹⁴ models.



SPRINTER EXTERIOR & INTERIOR

EXTERIOR: NON-METALLIC

040 – Jet Black	136 – Gray White	147 – Arctic White	160 – Stone Gray	224 – Graphite Gray	243 – Calcite Yellow	362 – Brilliant Blue
-----------------	------------------	--------------------	------------------	---------------------	----------------------	----------------------

389 – Steel Blue	432 – Flame Red	524 – Black Blue	583 – Velvet Red	589 – Jupiter Red	701 – Pebble Gray	708 – Silver Gray
------------------	-----------------	------------------	------------------	-------------------	-------------------	-------------------

709 – Blue Gray	830 – Aqua Green	957 – Vanda Blue
-----------------	------------------	------------------

EXTERIOR: METALLIC

197 – Obsidian Black Metallic	526 – Dolomite Brown Metallic	744 – Brilliant Silver Metallic	755 – Tenorite Gray Metallic	759 – Graphite Gray Metallic	764 – Pearl Silver Metallic	890 – Cavansite Blue Metallic
-------------------------------	-------------------------------	---------------------------------	------------------------------	------------------------------	-----------------------------	-------------------------------

Paint colors are restricted for Passenger Vans. Only paints for PVs are: 040, 147, 197, 243, 701, 744, 759, 764, and 890. Color options are limited for WORKER models.

INTERIOR

ACCESSORIES HIGHLIGHTS

- All-season floor mats
 - Loading roller (for basic carrier bars)
 - Roof rack basic carrier
 - Trailer hitch
- Wind deflectors for front windows, set
 - Roof box
 - Folding table (requires base module)

Contact dealer for full list of accessories.

VY2 – Tunja Black Fabric

VU9 – Black Leatherette

METRIS SPECIFICATIONS (Applies to all Metris models)



POWERTRAINS	
Configuration	DOHC
Fuel injection	Direct fuel injection
Induction system	Direct gasoline injection
Cylinders	Four
Cylinder heads	Aluminum
Block material	Aluminum
Bore/stroke	3.27" x 3.62"
Compression ratio	10.3
Transmission	7G-TRONIC Automatic Transmission with standard shift paddles
Horsepower @ rpm	208 hp @ 5,500 rpm
Torque lb-ft @ rpm	258 lb-ft @ 1,250-4,000 rpm
Recommended fuel	Octane rating 91 (minimum 87)
Fuel – EPA estimated ratings	21 city, 24 highway, 22 combined ¹¹
Fuel tank capacity	18.49 gal



METRIS CARGO METRIS PASSENGER

STANDARD FEATURES	
MECHANICAL	
2.0L 4-cylinder turbocharged Direct Injection gasoline engine 7G-TRONIC Automatic Transmission with standard shift paddles - Adjustable steering wheel with shift paddles - All-season tires - Alternator efficiency management - Axle ratio 3.46:1	- Battery: 12V/92Ah - Engine emissions LEV III ULEV70 - Speedometer, miles/km - Tire pressure monitoring lamp - Trailer pre-wiring - Washer fluid level warning light
SEATING & INTERIOR	
2-button remote key FOB - Adjustable driver seat - Adjustable front passenger seat - Air conditioning, front - Audio 10 – AM/FM radio, USB, AUX, Bluetooth®, 3.5" monochrome screen (standard for WORKER models) - Audio 15 – AM/FM radio, USB, AUX, Bluetooth®, 5.8" color screen (optional for WORKER models)	- Audio system speakers, five front - Cupholders, two center console - Cupholders, two dashtop - Heat-insulating glass - Lockable glove compartment - Power front window with pinch protection - Tunja Black Fabric
EXTERIOR	
6.5 J X 17 steel wheels - Aspherical mirror, passenger side - Automatic headlamps - Halogen headlamps	- Outside temperature gauge - Sliding door, passenger side - Spare wheel with jack & tool kit - VIN visible from outside
SAFETY & SECURITY	
- Airbag, driver front¹ - Airbag, passenger front¹ - Airbag, side thorax-pelvis, driver¹ - Airbag, side thorax-pelvis, passenger¹ - Airbag, window, front row¹ - Airbag, window, rear¹ (Passenger Vans only)	- ATTENTION ASSIST^{10,7} - Automatic passenger airbag deactivation¹ - Crosswind Assist² - Hill-Start Assist - Load-Adaptive Electronic Stability Program (ESP[®])³ - Seat belt reminder for driver/passenger



METRIS WORKER CARGO METRIS WORKER PASSENGER

METRIS CARGO & WORKER CARGO

STANDARD FEATURES	
MECHANICAL	
Alternator, 14V/175A	Standard suspension
INTERIOR	
Single cargo light in rear sidewall	Wood floor with six D-rings (available in optional package for WORKER)²⁴
EXTERIOR	
Rear doors, opening 270° (not available for WORKER)	
OPTIONAL FEATURES*	
MECHANICAL	
- Alternator 14V/190A - Cruise control	- Parametric Special Module (PSM) - PARKTRONIC with Active Parking Assist
SEATING & INTERIOR	
3-button remote key FOB - Automatic climate control - Becker® MAP PILOT® Navigation System²⁵ - Bodybuilder connector under driver seat - Cargo lashing rails, floors, plus four anchors²⁴ - Cargo lashing rails, waistline²⁴ - Chrome accents, interior - Cigarette lighter & ashtray, front	- Comfort seat with lumbar support, driver - Comfort seat with lumbar support, passenger - Front footwell lighting - Full height plastic paneling - Illuminated vanity mirrors - Interior rearview mirror - Keys, two additional master - LED light strip in rear compartment
EXTERIOR	
5-spoke light alloy wheels 20-spoke light alloy wheels 2nd row, fixed window, driver side sliding door 2nd row, fixed window, passenger side sliding door - Black tinting (80%) for rear windows - Bumpers painted color of vehicle	- Bumpers primed for painting - Cargo straps, D-rings²⁴ - Heated and electrically adjustable exterior mirrors - Heated windows rear doors and wipers/washers - Partition with through-loading - Partition with window, grab handle & through-loading
SAFETY & SECURITY	
- Anti-theft alarm system - Backup alarm	- First aid kit - Rearview camera⁸
OPTIONAL PACKAGES	
CARGO MODEL	
- Additional Battery Package - Blind Spot Assist Package⁴ - Cargo Protection Package - Cold Weather Package - Driver Comfort Package	- Driver Efficiency Package - ECO Start/Stop Package - Lane Keeping Assist Package⁵ - Multifunction Steering/Premium Display Pkg. - Premium Exterior Package
WORKER CARGO MODEL	
Convenience Package	Utility Package
PREMIUM PACKAGES	
- Premium Safety Package - Premium Safety with PARKTRONIC Package - Refrigeration Prep Package - Safety Package^{4,6}	

*Standalone optional features not available for WORKER model.



TECHNICAL SPECIFICATIONS	METRIS CARGO & WORKER CARGO DIMENSIONS
Roof height	75.2"
Roof height with rails	77.1"
Passenger capacity	Two
Rows of seats	One
EXTERIOR	
Wheelbase	126"
Length	202.4"
Width – excluding mirrors	75.9"
Width – including mirrors	88.3"
Front overhang	35.3"
Rear overhang	41.1"
Load height (curb)	22"
Side-door opening height	49"
Side-door opening width – sliding	37.8"
Rear cargo door opening height	48"
Rear cargo door opening width	50"
Turning radius (curb-to-curb)	36.4'
INTERIOR	
Headroom	39.6"
Shoulder room	62.2"
Hip room	58.9"
Legroom	35.8"
Cargo length, front (at floor)	111.5"
Cargo width between wheelhouses	50"
Cargo height, maximum	55"
CARGO CAPACITY	
Cargo volume behind 1st row (cu. ft.)	186
Maximum cargo volume with front-passenger seat removed (cu. ft.)	211
Maximum roof load (lbs.)	331
MAXIMUM CAPABILITIES	
Payload (lbs.)	2,502
Maximum towing (lbs.) ¹⁷	5,000
GVWR (lbs.)	6,724
Maximum loaded trailer weight ratings (lbs.)	11,724

METRIS PASSENGER & WORKER PASSENGER

STANDARD FEATURES

MECHANICAL		
• 14V/190A alternator • Active retainer for sliding door	• Bodybuilder connector under driver seat • Passenger Van suspension	• Remote opening/closing of windows
SEATING		
• 2nd row seats, 2-place removable • 3rd row seats, 3-place removable	• Grab handles in headliner, 2nd & 3rd rows • Premium rear interior trim with arm rests	• Rear-seat floor pockets with quick release
INTERIOR		
• 12V outlets for rear seat row, right & left • Air conditioning, rear • Airbag, window, all rows¹ • Assist handle, B-pillar	• Audio system speakers, four rear • Child safety lock, sliding door • Interior rearview mirror • Plastic floor covering in rear compartment	• Roof trim • Two detachable cupholders, 3rd row arm rests • Two overhead interior lights in rear • Warm/cool air duct to rear compartment
EXTERIOR		
• 2nd row fixed window, driver side sliding door • 2nd row fixed window, passenger side sliding door • 3rd row fixed window, rear sidewalls • Black tinting, 80% for rear windows	• Heated back panel/window (WORKER Passenger only) • Heated windows rear doors & wipers/washers (not available on WORKER Passenger) • Rear doors, opening 180°	• Retainer for sliding door • Sliding door, driver side • Trim, hardboard, rear hinged doors

OPTIONAL FEATURES*

MECHANICAL		
• Cruise control	• Parametric Special Module (PSM)	• PARKTRONIC with Active Parking Assist

SEATING & INTERIOR

• 3-button remote key FOB • Additional seat, 2nd row, folding curbside (creating 8-seat van) • Automatic climate control • Becker® MAP PILOT® Navigation System²⁵ • Carpeting, rear	• Chrome accents, interior • Cigarette lighter & ashtray, front • Comfort seat with lumbar support, driver • Comfort seat with lumbar support, passenger • Keys, two additional master • Luggage net, floor to ceiling (B- or C-pillar)	• Pre-installation Becker® MAP PILOT® Navigation System²⁵ • Premium overhead control panel • Reading lights for front overhead control panel • Storage tray, lower console
--	--	--

EXTERIOR

• 5-spoke light alloy wheels • 20-spoke light alloy wheels • Bumpers, painted color of vehicle • Bumpers primed for painting	• Courtesy light for tailgate • Heated & electrically adjustable exterior mirrors • Premium trim, rear hinged doors	• Roof rails, black • Single flip-up tailgate with premium trim • Trailer hitch, 5,000-lb. capacity¹⁷
---	---	--

SAFETY & SECURITY

• Anti-theft alarm system • Backup alarm	• First aid kit	• Rearview camera⁹
---	---	---

OPTIONAL PACKAGES

PASSENGER MODEL		
• Additional Battery Package • Blind Spot Assist Package⁴ • Cold Weather Package • Driver Comfort Package • Driver Efficiency Package	• Electric Sliding Door Package • Enhanced Air Conditioning Package • Lane Keeping Assist Package⁵ • Multifunction Steering/Premium Display Package • Premium Exterior Package	• Premium Interior Package • Premium Safety Package • Premium Safety with PARKTRONIC Package • Safety Package^{4,6}

WORKER PASSENGER MODEL

- Appearance Package
- Comfort Package
- Convenience Package



TECHNICAL SPECIFICATIONS

METRIS PASSENGER & WORKER PASSENGER DIMENSIONS

Roof height	74.4"
Roof height with rails	76.3"
Passenger capacity	6+1 (optional 7+1)
Rows of seats	Three

EXTERIOR

Wheelbase	126"
Length	202.4"
Width – excluding mirrors	75.9"
Width – including mirrors	88.3"
Front overhang	35.3"
Rear overhang	41.1"
Load height (curb)	21.6"
Side-door opening height	49"
Side-door opening width – sliding	35.5"
Rear cargo door opening height	48"
Rear cargo door opening width	50"
Turning radius (curb-to-curb)	36.4'

INTERIOR

Headroom	39.6" (1st row) • 41.4" (2nd row) • 40.5" (3rd row)
Shoulder room	62.2" (1st row) • 64.9" (2nd row) • 61.2" (3rd row)
Hip room	58.9" (1st row) • 65.5" (2nd row) • 56.0" (3rd row)
Legroom	35.8" (1st row) • 35.8" (2nd row) • 35.8" (3rd row)
Cargo length, front (at floor)	27.5"
Cargo width between wheelhouses	47.4"
Cargo height, maximum	52.4"

CARGO CAPACITY

Cargo volume behind 1st row (cu. ft.)	186 (1st row) • 97.3 (2nd row) • 38 (3rd row)
Maximum cargo volume with front-passenger seat removed (cu. ft.)	211
Maximum roof load (lbs.)	331

MAXIMUM CAPABILITIES

Payload lbs. (4-cylinder)	1,874
Maximum Towing (lbs.) ¹⁷	5,000
GVWR (lbs.)	6,724
Maximum loaded trailer weight ratings (lbs.)	11,724

*Standalone optional features not available for WORKER model.

METRIS EXTERIOR & INTERIOR

EXTERIOR: NON-METALLIC

147 – Arctic White 589 – Jupiter Red 610 – Navy Blue 701 – Pebble Gray

EXTERIOR: METALLIC

Color options are limited for WORKER models.

134 – Mountain Crystal White Metallic (Passenger Van only)	197 – Obsidian Black Metallic	368 – Flint Gray Metallic	526 – Dolomite Brown Metallic
---	-------------------------------	---------------------------	-------------------------------

744 – Brilliant Silver Metallic 890 – Cavansite Blue Metallic 963 – Indium Gray Metallic

INTERIOR

ACCESSORIES HIGHLIGHTS

- Floor mat trays
- All-season floor mats
- Mud flaps
- Cargo area tray
- Roof rack basic carrier
- Trailer hitch
- Wind deflectors for front windows, set
- Standard crossbars
- Roof box
- Folding table (requires base module)

Contact dealer for full list of accessories.

VY2 – Tunja Black Fabric VU9 – Black Leatherette

ENDNOTES

MY17 Metris and Sprinter available winter 2017.

1. Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts, and child seats.

2. Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 50 mph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Feature not available on 3500 and 3500XD models.

3. No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires.

4. Blind Spot Assist may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a sole substitute for driver awareness and checking of surrounding traffic conditions. Not available on Cab Chassis/Cutaway.

5. Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift and cannot be relied on to avoid an accident or serious injury.

6. COLLISION PREVENTION ASSIST may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely.

7. Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST® may be insufficient to alert a fatigued or distracted driver and cannot be relied on to avoid an accident or serious injury.

8. Rearview camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt, ice, or snow on the camera.

9. Requires the use of ultra-low-sulfur diesel fuel. Mercedes-Benz Sprinters are approved to use B5 biodiesel (approved diesel fuel with a maximum 5% biodiesel content) in all engines. The only approved biodiesel content is one that both meets ASTM D6751 specifications and has the oxidation stability necessary to prevent deposit-/corrosion-related damages to the system (min. 6h, proven by EN 14112 method). Please see your service station for further information. If the B5 biodiesel blend does not clearly indicate that it meets the above standards, please do not use it. The Mercedes-Benz Vans New Vehicle Limited Warranty does not cover damage caused by fuel standards not approved by Mercedes-Benz Vans.

10. Fuel savings estimate of up to 18% according to FTP75 testing of engine OM651 (4-cylinder) versus MY17 OM642 (V6). Individual mileage will vary, based on factors including vehicle load, driving style, road conditions, and fuel quality.

11. Please see your dealer. Compare the estimated mpg to the EPA estimated mpg rating of other vehicles. Please see www.fueleconomy.gov for details. You may get different mileage depending on how fast you drive, weather conditions, and trip length. Your actual combined mileage will probably be less than the combined estimate. Please be advised that 91 Octane premium gasoline was used for fuel economy testing and fuel economy certification. Therefore, exclusive use of 87 Octane gasoline may reduce the engine's performance and increase fuel consumption.

12. Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance Booklet for details.

13. Based on a comparison of full-size commercial vans at the time of print.

14. Must select Cutaway packages F05 and F08.

15. From *Autoblog*, May 30, 2015 ©2015 AOL Inc. All rights reserved. Used by permission and protected by the Copyright Laws of the United States. Printing, copying, redistribution, or retransmission of this Content without express written permission is prohibited.

16. Based on 61 sheets of 1/2-inch thick 4'x8' sheets of lightweight drywall.

17. Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations.

18. MasterSolutions program vehicles are custom, special-order only vehicles modified by the MasterSolutions provider of your choice. Although the MBUSA warranty does not apply to the modifications, separate warranties offered by the MasterSolutions provider may apply. Details are available from your local dealer.

19. Actual rates, terms, down payment, and program eligibility will be determined by the Mercedes-Benz Financial Services Credit Team based upon the creditworthiness of the customer.

20. TRAC leases are limited to motor vehicles leased to businesses and used at least 50% of the time for business purposes. Consult your tax or financial advisor for tax and accounting treatments.

21. Extended Limited Warranty (ELW) is not available in all states. Contact your local Mercedes-Benz Vans dealer to verify availability.

22. Versus paying for services as you go. Potential savings vary by dealer.

23. The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump-start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.

24. Unsecured cargo can become hazardous in a collision. Always secure cargo.

25. Pre-wiring code EV6 required.

©2016 Mercedes-Benz USA, LLC, 303 Perimeter Center North – Suite 202, Atlanta, GA 30346 1-877-762-8267 All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. Volume measurements are according to SAE J1100. Mercedes-Benz reserves the right to make changes at any time, without notice, to colors, materials, equipment, specifications, and models. Any variations in colors shown are due to reproduction variations of the printing process. Illustrations may include test situations. Some vehicles may be shown with non-U.S. equipment. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models.

For current information regarding the range of models, standard features, optional equipment, and/or colors available in the U.S. and their pricing, please contact your nearest authorized Mercedes-Benz Vans dealer. All rights reserved. Becker® is a registered trademark of Harman Becker Automotive Systems GmbH. Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

www.MBVans.com

SMB-16-1045 Printed in U.S.A.

Mercedes-Benz
Vans. Born to run.

